





We have inherited our passion to create innovations, seek out solutions of the highest quality and the spirit of adventure from our father, Czesław Mocek. He transformed his enthusiastic pursuit of lighting tech novelties into a commercial success by founding Mactronic® over 30 years ago. Since then, we have been making all efforts and combined a family tradition with international experience, respect for uniformed services and the expertise of R&D specialists.

We are proud to present the newest Mactronic® lighting catalogue. The extensive portfolio of products proves our commitment in creating and supplying reliable, durable and efficient solutions that have been making our Clients safe for years.

Having enjoyed decades of success, we are looking forward to the future to keep our family tradition, best summed up in the motto: **OUR LIGHTS, YOUR GOAL, TOGETHER WE ACHIEVE IMPOSSIBLE.**

Unsere Leidenschaft für die Schaffung von Innovationen, die Suche nach Lösungen von höchster Qualität und den Abenteuergeist haben wir von unserem Vater, Czesław Mocek, geerbt. Vor mehr als 30 Jahren wandelte er seine Passion für technische Innovationen auf dem Gebiet der Beleuchtung durch die Gründung der Firma Mactronic® in Erfolg um. Seitdem tun wir unser Bestes und verbinden die Familientradition mit internationaler Erfahrung, Respekt für die uniformierten Dienste und dem Wissen von F&E-Spezialisten.

Wir sind stolz darauf, Ihnen den neuesten Katalog der Beleuchtung der Marke Mactronic® zu präsentieren. Mit diesem reichen Angebot beweisen wir unser Engagement bei der Erstellung und Bereitstellung von zuverlässigen, langlebigen und effizienten Lösungen, die seit Jahren die Sicherheit unserer Kunden garantieren.

Jahrzehntelanger Erfolg lässt uns mit Freude in die Zukunft blicken. Die Familientradition fortsetzend setzen wir das Motto: **OUR LIGHTS, YOUR GOAL, TOGETHER WE ACHIEVE IMPOSSIBLE** effektiv um.

Bartosz Mocek
President

Maciej Mocek
President



Mactronic® Sp. z o.o. Sp. k. is a member of PLATO, a prestigious Portable Lights American Trade Organization.

In May 2010, representatives of manufacturers of portable lighting presented the idea of creating an industry organisation that would deal with standardization, improving the quality and raising the transparency of technical information pertaining to portable lighting devices. Since the creation of PLATO, the number of members grew to over thirty and includes portable lighting producers from all over the world.

At the end of 2016, PLATO issued a standard, ANSI/PLATO FL 1 2016, aiming to improve the quality of portable lighting devices and the clarity of information presented on packaging. Three years later, at the end of 2019, PLATO expanded the standard to cover floodlights. Norma ANSI/PLATO FL 1 2019, now applicable to floodlights, serves as a road map for manufacturers who agreed to ensure that information on packaging is coherent with the device's actual parameters.

As a voting member of PLATO, Mactronic® has a real impact on establishing high standards for the production and distribution of portable lighting globally.

Mactronic® Sp. z o.o. Sp. k. ist Mitglied der prestigeträchtigen Organisation PLATO, der Amerikanischen Handelsorganisation im Bereich von tragbarer Beleuchtung.

Im Mai 2010 hatten Vertreter von Unternehmen, die im Bereich der tragbaren Beleuchtung tätig sind, die Idee, eine Branchenorganisation zu gründen, die sich der Normung, der Qualitätsverbesserung und der Transparenz von technischen Informationen über tragbare Beleuchtung widmet. Seit ihrer Gründung ist PLATO auf über dreißig Mitglieder angewachsen, die ein breites Spektrum von Herstellern tragbarer Beleuchtungen weltweit repräsentieren.

Ende 2016 hat PLATO die Norm ANSI/PLATO FL 1 2016 herausgegeben, die darauf abzielt, die Qualität der tragbaren Beleuchtung und die Klarheit der Informationen auf der Verpackung zu verbessern. Drei Jahre später, Ende 2019, hat PLATO die Norm auf Beleuchtungsgeräte ausgeweitet. Die Norm ANSI/PLATO FL 1 2019, die nun auch Aufheller einschließt, bietet einen Fahrplan für Hersteller, die sich verpflichtet haben, die Konsistenz zwischen den Angaben auf der Produktverpackung und der tatsächlichen Leistung sicherzustellen.

Als stimmberechtigtes Mitglied von PLATO hat Mactronic® einen realen Einfluss auf die Festlegung hoher Standards für die Herstellung und den Vertrieb von tragbaren Leuchten weltweit.



Each day, fire-fighters, policemen, the military and industrial professionals take up their duties. They share a common thing - the need for highly advanced gear to assist them in their demanding jobs. Mactronic® appreciates professionals and for over 30 years has been providing them with highly reliable and sturdy personal lighting systems, for ultimate safety and total reliability in their daily duties.

Mactronic® also carries product lines for competitive sportsmen, tourism and outdoor enthusiasts. We want our lighting to be always at the ready for our users, whenever there is another limit to be broken. We wish them to be a guarantee of safety and satisfaction not only during training, but also when the user's safety is at stake.

We listened to what our clients need and created 7 product categories, underscoring their specific purposes.

This way, you can conveniently navigate our catalogue, our online listings and our distributors' websites.



The **OUTDOOR** line was developed for seasoned adventure seekers. It mainly contains headlamps for sports activities, mountain treks and all sorts of activities where the surroundings must be properly lit. Our products are designed to satisfy the various needs of our users who can chose from a selection of rechargeable, battery-powered or hybrid (Dual Source) models. The headlamps come with various parameters, in different colours and sizes, but with a single goal of making sure that the users can find a device that best fits their needs. The line also includes bike lamps. The headlamps, rear lamps and lamp sets have been designed to withstand any weather conditions. To match the prevailing trends, we have designed lightweight, durable and aerodynamically shaped lamps that guarantee both comfort of use and safety.



The **TACTICAL** line covers gear in colours matching the expectations of the uniformed forces. The line has been designed to face all sorts of challenges - to withstand water or dust ingress, shocks and mechanical abuse. The products are perfectly suited for installation on weapons, for breaking glass panes and even for self-defence.



The **PATROL** line features sturdily built gear for installation in charging bases mounted in vehicles or indoors. Patrol lighting gear is always ready to use, be it emergency, sentry or patrol duties. These devices are crucial elements of the equipment of patrol units, security details and policemen, for whom the battery life and convenience of operation are of paramount importance.



The **EDC & BUSHCRAFT** line includes products for every day carry philosophy. Compact size, advanced power supply options and exceptional power hidden in unassuming housing. The line's flashlight are trustworthy companions for daily exploration activities, ready to shed light whenever you need it.



The **ZONE 0** line are specially designed devices for use in dangerous zones, where dust or gases are at risk of explosion. For many, long years, our flashlights have proved essential in rescue operations and helped Polish fire-fighters safely do their jobs. We feel very proud, having been a part of these efforts.



The **CRI COLOR MATCH** line encompasses products with high CRI (colour rendering index). They are highly praised in workshop, inspection, detailing, electric and medical environments. Extremely handy wherever colour accuracy is of paramount importance.

The **INDUSTRIAL & WORKSHOP** line includes specialized hand-held flashlights, spotlights, fully accesorized battery floodlights, searchlights and workshop lighting. This is our comprehensive answer to the needs of industry, where all sorts of work must be done reliably and accurately. We offer battery powered and rechargeable models, all boasting substantial operating times with a single source of power, perfectly fitted for demanding work conditions.



Feuerwehrleute, Uniformierte, Militärangehörige und Beschäftigte im industriellen Bereich bemühen sich jeden Tag ihre Aufgaben zu erfüllen. Ihre Arbeit hat einen gemeinsamen Nenner - den Bedarf an hochentwickelten Geräten, die die Durchführung anspruchsvoller Arbeiten erleichtern. Profis werden von Mactronic® hoch geschätzt und so bietet ihnen das Unternehmen seit über 30 Jahren langlebige und leistungsstarke Systeme für individuelle Beleuchtung, die ein Höchstmaß an Sicherheit und Langlebigkeit bei alltäglichen Aufgaben gewährleisten.

Mactronic® bedeutet auch Produktlinien für die Ausübung professionellen Sports, den Tourismus und die Outdoor-Passion. Wir wollen, dass unsere Beleuchtung die Anwender immer bei der Überwindung weiterer Grenzen begleitet. Wir wollen, dass sie nicht nur das Vergnügen und die Zufriedenheit beim Training garantiert, sondern auch für die Sicherheit ihrer Benutzer sorgt.

Da wir auf die Bedürfnisse unserer Kunden hören, haben wir die Produkte in 7 Kategorien eingeteilt, die ihren Zweck hervorheben.



Diese Lösung ermöglicht eine übersichtliche Navigation durch die Seiten dieses Katalogs, unseres Angebots im Internet, sowie bei unseren Verteilern.



Die **OUTDOOR**-Linie wurde für anspruchsvolle Abenteurer geschaffen. Sie finden dort vor allem Stirnlampen für Sport, Bergsport und alle Freizeitaktivitäten, die eine Beleuchtung der Umgebung erfordern. Wir gehen auf die Bedürfnisse der Anwender ein, die aus einer Vielzahl von wiederaufladbaren, batteriebetrieben oder hybriden (Dual Source System) Modellen wählen können. Stirnlampen gibt es in verschiedenen Ausführungen, ja nach Farbe und Größe – damit jeder das Richtige für seine Bedürfnisse findet. Das Angebot der Linie wird durch Fahrradbeleuchtung ergänzt. Frontleuchten, Rückleuchten und Bausätze wurden so entwickelt, dass allen Wetterbedingungen widerstanden werden kann. Wir halten mit den Trends Schritt, indem wir Leuchten entwerfen, die leicht, langlebig und aerodynamisch sind, was nicht nur Komfort, sondern auch Sicherheit garantiert.



Die **TACTICAL**-Linie ist eine Ausrüstung in klassischen Farben für uniformierte Dienste und die Armee, entwickelt, um Herausforderungen, Wasser, Staub, Stürzen und Beschädigungen standzuhalten. Die Produkte sind ideal für Waffenmontage, Glasbruch und sogar Selbstverteidigung.



Die **PATROL**-Linie umfasst Produkte mit robuster Konstruktion, die für die Montage in Ladestationen in Fahrzeugen und Räumen ausgelegt sind. Patrouillenbeleuchtung ist immer einsatzbereit, während eines operativen Einsatzes, des Wachdienstes oder einer Patrouille. Es ist ein wichtiges Ausrüstungsstück für Interventionspatrouillen, Sicherheitsdienste und uniformierte Beamten, für die Einsatzdauer und Tragbarkeit von größter Bedeutung sind.



Die **EDC & BUSHCRAFT**-Linie vereint Produkte, die für den alltäglichen Gebrauch, gemäß der Every Day Carry-Philosophie, erschaffen wurden. Die Linie steht für eine kompakte Größe, moderne Mittel zur Stromversorgung und außergewöhnliche Leistung, versteckt in unauffälligen Gehäusen. Taschenlampen dieser Linie sind Begleiter für den Alltag, bereit, Licht zu werfen unter den am wenigsten erwarteten Umständen.



Die **ZONE 0**-Linie umfasst Leuchten mit einem speziellen Design, geeignet für den Einsatz in Bereichen, die durch Explosion von Stäuben und Gasen gefährdet sind. Seit vielen Jahren haben sich unsere Taschenlampen im Rettungswesen bewährt und helfen polnischen Feuerwehrleuten, ihre Aufgaben sicher zu erfüllen, worauf wir sehr stolz sind.



Die **CRI COLOR MATCH**-Linie wurde für Produkte mit hohem CRI (Farbwiedergabeindex) geschaffen. Sie werden in solchen Bereichen wie Werkstatt, Inspektion, Detaillierung, Elektrik und medizinische Aktivitäten eingesetzt. Sie werden sich überall dort als unschätzbar erweisen, wo die Sichtbarkeit der Umgebungsfarbe von größter Bedeutung ist.



Die **INDUSTRIAL & WORKSHOP**-Linie kombiniert spezialisierte Handleuchten, Suchscheinwerfer, Akku-Lichttürme mit einer Reihe von Zubehör, Scheinwerfern, Werkstattlampen und Werkstattbeleuchtung. Dies ist unsere umfassende Antwort auf die Bedürfnisse des industriellen Sektors, wo auf Langlebigkeit und Genauigkeit größter Wert gelegt wird. Wir bieten Batterie- und Akkumodelle an, die sich durch lange Arbeitszeiten an einer einzigen Stromquelle und Zuverlässigkeit unter anspruchsvollen Bedingungen auszeichnen.

Setting standards, exceeding expectations

ANSI ensures that all lighting products are tested in the same manner and that manufacturers are consistent in the terms and definitions in their product descriptions. Currently the ANSI/NEMA FL 1 Standard covers the following performance categories:

⚡ **LIGHT OUTPUT** is the total luminous flux. It is the total quantity of emitted overall light energy as measured by integrating the entire angular output of the portable light source. Light output in this standard is expressed in units of lumens.

⌚ **RUN TIME** is defined as the duration of time from the initial light output value-defined as 30 seconds after the point the device is first turned on using fresh batteries, until the light output reaches 50% of the initial value.

█ **BEAM DISTANCE** is defined as the distance from the device at which the light beam is 0.25 lux (0.25 lux is approximately the equivalent of the light emitted from the full moon on a „clear night in an open field“).

✓ **IMPACT RESISTANCE** is tested with drops onto a concrete surface at the specified height with all intended accessories, including batteries, installed.

💧 **WATER RESISTANCE** - IPX4 „Water proof“ Light can be splashed with water from all directions without water getting inside. IPX7 „Water resistant“ The light can be submerged in 1 meter of water for 30 minutes. Water can leak into the light, but not into areas with electronics or batteries. The light must still operate when removed from the water and then is tested again 30 minutes after being removed. IPX8 „Submersible“ The light can be submerged for 4 hours to some depth greater than 1 meter. The depth would be specified, e.g. IPX8 1 meter.

💡 **LIGHT INTENSITY** in candela (cd) - a lux reading in the brightest portion of the beam is taken at some distance with the light on its brightest mode.

ATEX Explanation

CE	0102	Ex	II	2G	Ex d	IA	T5
CE mark	Nr of Notified Body	Specific mark for Explosive Protection	Equipment Group	Equipment Category	Explosion protected equipment	Protection concept	Temperature classification

Hazardous zone classification

Type of hazard	Hazard description	Zone classification	Apparatus category	Occurrence of explosive atmosphere
G	Gases, liquids and vapors	0	1	Continuous, may be present for long periods
		1	2	Occasional, may be present in normal conditions
		2	3	Rare, does not occur in normal conditions, if so - only for a short period of time
D	Combustible dusts	20	1	Continuous, may be present for long periods
		21	2	Occasional, may be present in normal conditions
		22	3	Rare, does not occur in normal conditions, if so - only for a short period of time

Equipment group & category

Group	Group Description	Sub-group	Subgroup Description
I	Equipment intended for use in underground and above-ground parts of mines that are potentially explosive	-	Risk of metan or coal dust explosion
II	Equipment intended for use above-ground in gas, vapors, mist and dust explosive risk area	A	Propane group (e.g. acetone, methyl alcohol, ethyl alcohol)
		B	Ethylene group (e.g. ethylene, hydrogen sulfide)
		C	Hydrogen group (e.g. acetylene, hydrogen, hydrazine)

Wir setzen Maßstäbe, die Ihre Erwartungen übertreffen

Die **ANSI**-Norm regelt die technischen Parameter von Lichtquellen und erleichtert damit den Verbrauchern den Vergleich und die Wahl tragbarer Beleuchtungsgeräte. Dank der ANSI-Normen können Sie die tatsächlichen Parameter von Taschenlampen einander gegenüberstellen und die Lampe auswählen, die Ihren Bedürfnissen am besten entspricht.

⚡ Der **LICHTSTROM** ist die maximale Gesamtstrahlungsleistung gemessen zwischen der 30. Sekunde und der 2. Minute der Betriebszeit einer Taschenlampe nach Erreichen der Temperaturstabilität. Gemessen in Lumen (lm).

⌚ Die **BETRIEBSZEIT** ist die Dauer des ununterbrochenen Betriebs einer Taschenlampe mit voll aufgeladenen, neuen Batterien oder Akkus bis der Lichtstrom LOW des Anfangswerts erreicht. Sie wird in Stunden, Minuten und Minuten gemessen.

▣ Die **STRAHLREICHWEITE** bezeichnet die Entfernung von dem Gerät, an der der Lichtstrahl auf 0,25 Lux abfällt. 0,25 Lux entsprechen etwa der Stärke des Mondlichts in einer wolkenlosen Nacht. Die Strahlreichweite wird in Metern (m) gemessen.

✖ Die **STOSSFESTIGKEIT** wird getestet, indem man das Gerät mit unterschiedlichen Winkeln aus einer bestimmten Höhe auf einen Betonboden fallen lässt. Das Gerät besteht den Test, wenn es trotz der Stürze korrekt funktioniert.

💦 Die **WASSERFESTIGKEIT** steht für die Beständigkeit einer Taschenlampe gegen die Einwirkung von Wasser. Die Schutzart IPX4 bezeichnet die Beständigkeit eines Geräts gegen Strahlwasser aus verschiedenen Richtungen. Die Schutzart IPX7 bezeichnet die Beständigkeit eines Geräts gegen vollständiges Eintauchen in Wasser mit einer Tiefe bis 1 m über mindestens 30 min. Die Schutzart IPX8 bezeichnet die Beständigkeit einer Taschenlampe gegen dauerhaftes Untertauchen bei erhöhtem Wasserdruk.

💡 Die **LICHTSTÄRKE** ist die Intensität eines Lichtbündels gemessen entlang der mittleren Achse des Lichtkegels und ändert sich nicht mit der Entfernung. Ihre Maßeinheit ist die Candela (cd).

ATEX Erläuterung

CE	0102	Ex	II	2G	Ex d	IA	T5
CE mark	Nummer der notifizierten Einheit	Sonderkennzeichnung des Explosions-schutzes	Ausstattungs-gruppe	Ausstattung-skategorie	Explosions-gesicherte Einrichtung	Schutzunter-gruppe	Temperaturklassifikation

Klassifikation der Gefahrzone

Art der Gefahr	Gefahrenbeschreibung	Zonenklassifikation	Einrichtungskategorie	Vorhandensein der explosionsfähigen Atmosphäre
G	Gase, Flüssigkeiten und Dunst	0	1	Ständig, kann langfristig vorhanden sein
		1	2	Gelegentlich, kann unter normalen Bedingungen vorkommen
		2	3	Selten, kommt unter normalen Bedingungen nicht vor, wenn schon, dann nur kurzfristig
D	Brennbarer Staub	20	1	Ständig, kann langfristig vorhanden sein
		21	2	Gelegentlich, kann unter normalen Bedingungen vorkommen
		22	3	Selten, kommt unter normalen Bedingungen nicht vor, wenn schon, dann nur kurzfristig

Kategorie und Gruppe der Ausstattung

Gruppe	Beschreibung der Gruppe	Untergruppe	Beschreibung der Untergruppe
I	Vorrichtungen zur Arbeit in den unterirdischen und oberirdischen Teilen einer Grube, in denen potentiell explosionsfähige Atmosphäre vorhanden ist	-	Gefahr der Methan- oder Kohlenstaubexplosion
II	Vorrichtungen zur Nutzung an der Oberfläche, in den mit Gas-, Dunst-, Nebel- und Staubexplosion gefährdeten Zonen	A	Propangruppe (z.B. Aceton, Methanol, Ethanol)
		B	Ethylengruppe (z.B. Ethylen, Schwefelwasserstoff)
		C	Wasserstoffgruppe (z.B. Acetylen, Wasserstoff, Hydrazin)



PRODUKTY

OUTDOOR LINE

PACIFICA ACL0111	ENVIRO ACL0112	SCREAM 3.1 ABF0164	SCREAM 3.2 ABF0165	SCREAM 3.3 ABF0161
NOISE XTR04 ABF0042	TRAILBLAZER ABF0163	DUO SLIM ABS0031	WALLE L-BPM-2SL	RED LINE ABR0021

HEADLAMPS

NOMAD 03 THL0022	BASE CAMP AHL0112	CAMO II AHL0115	VIZO RC AHL0022	VIZO AHL0022
REBEL AHL0061, AHL0062	BLAZER AHL0111	ULTIMO PHL0011	MAVERICK AHL0051	MAVERICK WHITE PEAK AHL0052
SUNSCAN 5.3 PHL0031	CYCLOPE II THL0131	SIRIUS H12 AHL0172	TUNDRA THL0111	

PRODUKTY

EDC & BUSHCRAFT LINE

									
TUNDRA THL0111	□ 28	CYCLOPE II THL0131	□ 28	SIRIUS H12 AHL0172	□ 29	SIRIUS M10 THH0171	□ 29	SIRIUS T25 THH0172	□ 29

TACTICAL LINE

									
T-FORCE HP THH0111	□ 31	T-FORCE VR THH0112	□ 31	T-FORCE LSR THM0010	□ 32	T-FORCE PSL THM0020	□ 32	NIGHT HUNTER 03 THH0231/THH023	□ 33
									
MCT-GLAUBERYT THH0151	□ 33	TRACER UV THH0125	□ 35	BLITZ K12 THS0011	□ 36	BLITZ K3 THS0021	□ 36	BLITZ LR11 THS0031	□ 36
									
BLACK EYE 1550 THH0046	□ 37	BLACK EYE 1000 THH0045	□ 37	BLACK EYE 1100 THH0043	□ 38	BLACK EYE MINI L-MX512L	□ 38	SNIPER 3.2 THH0062	□ 39
									
SNIPER 3.3 THH0063	□ 39	SNIPER 3.4 THH0063	□ 39						

PATROL LINE

							
PATROL CHARGER + PRO THH0054	□ 41	PATROL LTD THH0055	□ 41	EXPERT PL3 THH0022	□ 42	EXPERT PL5 THH0023	□ 42

PRODUKTY

ZONE 0 LINE

									
M-FIRE AG PHH0221	□ 46	M-FIRE SL112 EX PSL0111 / PSL0111TRUCK	□ 46	M-FIRE FOCUS PHH0213	□ 47	M-FIRE 02 PHH0211	□ 47	M-FIRE 03 PHH0212	□ 47

CRI COLOR MATCH LINE

							
SUNSCAN 5.3 PHL0031	□ 50	SUNSCAN 5.1 PHH0031	□ 50	SUNSCAN 5.2 PWL0041	□ 51	SUNSCAN 5.4 PWL0051	□ 51

INDUSTRIAL & WORKSHOP LINE

									
SLIMBEAM PWL0101	□ 54	FLEXIBEAM PWL0091	□ 54	ROUNDBEAM PWL0071	□ 55	DUALBEAM PWL0081	□ 55	MEDLITE PHH0081	□ 56
									
DURA LIGHT 920 PHH0111	□ 56	DURA LIGHT 2.1 PHH0121	□ 57	DURA LIGHT 2.2 PHH0122	□ 57	DURA LIGHT 2.3 PHH0123	□ 57	FLAGGER PHH0071	□ 58
									
FLAGGER 650 PHH1071	□ 58	DURA TOOL PWL0011	□ 58	M-FLARE L-DS-PACK-AMBER-AKU-Z, PSD001	□ 60	S-FLARE PSD0111	□ 60	TRAFFIC CONE L-NJ01-ROHS	□ 60



PRODUKTY

INDUSTRIAL & WORKSHOP LINE

GALAXY RDL0112-2, RDL0111-1, RDL0012-2, RDL0111-1, RDL0010-P5, RDL0010-P25-2 □ 61	MONSTER LIGHT 360 SINGLE PFL0234 □ 62	MONSTER LIGHT 360 SINGLE PFL0235 □ 62	MONSTER LIGHT 360 TWIN PFL0236 □ 63	MONSTER LIGHT 360 TWIN PFL0237 □ 63
MONSTER LIGHT SINGLE PFL0122-USB □ 64	MONSTER LIGHT SINGLE PFL0123-USB □ 64	MONSTER LIGHT TWIN PFL0132-USB □ 65	MONSTER LIGHT TWIN PFL0133-USB □ 65	MONSTER LIGHT MIDI PFL0143 □ 66
MONSTER LIGHT MIDI PFL0144-USB □ 66	MONSTER LIGHT MIDI IR PFL0144IR □ 67	MONSTER LIGHT MIDI UV PFL0144UV □ 67	MONSTER LIGHT MINI PFL0151 □ 68	ADAPTER 230V AC PFL0151 □ 68
LIGHTING SYSTEM PFL0151 □ 69	BACK PACK SYSTEM RBS0011 □ 69	3M EXTENSION POLE PFL0011EP □ 70	3M EXTENSION POLE PFL0012EP □ 70	
X-PISTOL GEN2 PSL0022 □ 71	VANGUARD JML PSL0031 □ 71			

ACCESORIES | ZUBERHÖR

□ 72



OUTDOOR LINE



 10~370 LUMENS

Pacifica
ACL0111

NEW

Marine-style Camping Lamp

OUTDOOR LINE

LED / Epistar SMD 2835 / 2 x Lithium 18650 battery

COOL HIGH	370 lm	3,8 h
COOL LOW	10 lm	75 h
WARM HIGH	370 lm	3,8 h
WARM LOW	10 lm	75 h

CRI index	Ra>=80
Light temperature	2200 K / 6500 K
 7 h	
 126 x 230 mm	
 500 g (without accessories)	



The set includes:  USB cord

Pacifica, a lamp that will open a new dimension of garden leisure and a whole lot more of fun at weekend, open-air parties or summer trips to the unknown. Discover the spirit of journeys from times long gone. All this courtesy of the classical design centred around a black, metal housing, a wooden base and a braided rope for hanging the lamp. The lamp's heart are LEDs that can emit crystal white light or warm, cosy light. Pacifica is at home in any green nook, but will also not fail to deliver the special atmosphere for open-air meals enjoyed with your family and friends. The metallic knob, with comfortably set steps, serves to adjust the light with high precision. Pacifica can operate as a cordless unit and its battery can serve as a power bank, to supply other powered devices for your garden.

 20-250
LUMENS

Enviro
ACL0112

NEW

Stylish Camping Lamp with Flame Effect Light

LED / Epistar SMD 2835 / 2 x Lithium 18650 battery / 3 x AA

OUTDOOR LINE

COOL HIGH	250 lm	8 h
COOL LOW	20 lm	75 h
WARM HIGH	250 lm	8 h
WARM LOW	20 lm	75 h
DANCING FLAME	n/a	n/a

CRI index	Ra>=80
Light temperature	2200 K / 6500 K
 7 h	
 126 x 280 mm	
 440 g (without accessories)	



The set includes:  USB cord

Enviro, a lamp that will open a new dimension of garden leisure and a whole lot more of fun at weekend, open-air parties or summer trips to the unknown. Discover the spirit of journeys from times long gone. All this courtesy of the classical design of an oil lamp and a wooden base. The lamp's heart are LEDs that can emit crystal white light or warm, cosy light. The lamp has no issues working at any place, enhancing it with a new dimension. It is just as proficient at building a unique atmosphere during open-air dinners with your family or friends. The metallic know, with comfortably set steps, serves to adjust the light with high precision. Enviro can operate as a cordless unit and its built-in battery can serve as a power bank, to supply other powered devices for your garden.

Cree™ XP-L / 1000 lm / 18650 Li-ion 3400 mAh / 5 h

Cree™ XP-L		
BOOST	1 000 lm	2 h 50 min
HIGH	350 lm	5 h
MEDIUM	150 lm	12 h
LOW	40 lm	40 h
STROBE	900 lm	4 h 15 min
▲	111 × 26 × 29 mm	
■	89 g	
■ [+]	135 g	
■ [S]	11 g	


IP66 Standard Battery Charge Indicator Battery Life Indicator Micro USB Rechargeable ALU Aluminium

Optional Accessories:

Optionales Zubehör:
RAC0026 - battery, Akku
ABF0161M - mount, Halterung

The set includes: ■ battery, ■ USB cord, ■ mount
Das Set beinhaltet: ■ Akku, ■ USB Kabel, ■ Halterung

160m  1000 LUMENS

**SCREAM 3.1**

ABF0164

Front Bicycle Light
Multifunktionstaschenlampe

Cree™ XP-G3 / 600 lm / 18500 Li-ion 1600 mAh / 2 h

Cree™ XP-G3		
HIGH	600 lm	2 h
MEDIUM	180 lm	4 h
LOW	50 lm	13 h
FLASHING	180 lm	8 h
STROBE	600 lm	3 h
▲	96 × 26 × 29 mm	
■	76 g	
■ [+]	112 g	
■ [S]	11 g	

IP66 Standard Battery Charge Indicator Battery Life Indicator Micro USB Rechargeable ALU Aluminium

Optional Accessories:

Optionales Zubehör:
RAC0021 - battery, Akku
ABF0161M - mount, Halterung

The set includes: ■ battery, ■ USB cord, ■ mount
Das Set beinhaltet: ■ Akku, ■ USB Kabel, ■ Halterung

140m  600 LUMENS

**SCREAM 3.2**

ABF0165

Front Bicycle Light
Multifunktionstaschenlampe

Cree™ XML2 10W LED / 600 lm / 3 x AAA / 2 h

Cree XML2 10W LED		
HIGH	600 lm	2 h
MEDIUM	300 lm	5 h
LOW	70 lm	22 h
FLASHING	300 lm	6 h
STROBE	300 lm	6 h
▲	106-116 × Ø27,5 × Ø33 mm	
■	93 g	
■ [+]	128 g	
■ [S]	11 g	

IP66 Standard Battery Life Indicator ALU Aluminium

Optional Accessories:

Optionales Zubehör:
ABF0161M - mount, Halterung

The set includes: ■ batteries, ■ mount
Das Set beinhaltet: ■ Batterien, ■ Halterung

180m  600 LUMENS

**BATTERY SCREAM 3.3**

ABF0161

Front Bicycle Light
Multifunktionstaschenlampe

Cree™ XM-L2 LED / 854 lm
battery 18650 Li-ion 3,7V 3400 mAh / 12 h 45 min

176m 

NOISE XTR 04

ABF0042

Front Bicycle Light
Multifunktionstaschenlampe

Cree™ XM-L2 LED		
BOOST	854 lm	30 sekund
HIGH	712 lm	2 h 45 min
MEDIUM	368 lm	5 h 30 min
LOW	77 lm	28 h 30 min
 6 h		
 119 x 43 x 36 mm		
 136 g		
 183 g		
 32 g		

 IP64 Standard
 Battery Charge Indicator
 Battery Life Indicator
 Micro USB Rechargeable

Optional Accesories:
Optionales Zubehör:
T-BPM300L - mount, Halterung
RAC0026 - Akku, battery



The set includes:  battery,  MicroUSB cord,  mount
Das Set beinhaltet:  Akku,  MicroUSB Kabel,  Halterung

1 x USA LUMINUS SST40 LED / 2 x Cree™ XP-G3
battery Li-ion 5200 mAh 3,7V / 3 h 30 min

270m 

TRAILBLAZER

ABF0163

Front Bicycle Light
Multifunktionstaschenlampe

FOCUS		
HIGH	1300 lm	2 h 30 min
MEDIUM	400 lm	8 h
LOW	200 lm	20 h
FLOOD		
HIGH	700 lm	3 h 30 min
MEDIUM	300 lm	9 h
FLASHING	200 lm	60 h
STROBE	2000 lm	2 h 30 min
 3 h		
 106 x 50 x 28 mm		
 225 g (built-in)		

 IPX6 Standard
 Micro USB Rechargeable
 ALU Aluminium



The set includes:  battery,  MicroUSB cord,  mount
Das Set beinhaltet:  Akku,  MicroUSB Kabel,  Halterung



OUTDOOR LINE

TRUSTED BY PROS®

White COB LED + Red COB LED / 60 lm / 18 lm
battery Li-poly 3,7V 330 mAh / 1 h 30 min

White COB LED	
HIGH	1 h 30 min
MEDIUM	2 h 30 min
LOW	3 h 30 min
ECO	8 h
4 FLASHING MODES	od 2 h do 20 h
Red COB LED	
HIGH	1 h 30 min
MEDIUM	3 h
LOW	5 h
ECO	10 h
4 FLASHING MODES	od 3 h do 30 h
	3 h
	70 x 10 x 20 mm
	front: 34 g, back: 37 g

IPX4 Standard Micro USB Rechargeable

The set includes: bracket for seat post, MicroUSB cord
Das Set beinhaltet: Fahrradsattelstütze, MicroUSB Kabel



60 LUMENS

18 LUMENS

DUO SLIM

ABR0031

Set of Bike Lamps
Das Set Fahrradlampen



OUTDOOR LINE

2 x 0,5W LED / 18 lm / 2 x AAA / 30 h

2 x 0,5W LED	
CONSTANT	30 h
ALTERNATING	60 h
FLASHING	60 h
	69 x 38 x 32,5 mm
	59 g
	82 g

IPX4 Standard

Visibility angle: 180°

The set includes: bracket for seat post
Das Set beinhaltet: Sattelstützhalter

18 LUMENS

WALLE

L-BPM-2SL

Bicycle Tail Light
Fahrrad Ruckleuchte



OUTDOOR LINE

Red COB LED / 20 lm / battery Li-poly 3,7V 300 mAh / 3 h

Red COB LED	
HIGH	3 h
MEDIUM	16 h
PULSE	15 h
FLASHING 6Hz	18 h
FLASHING 3Hz	18 h
	70 x 29 x 18 mm
	21 g
	3 g

IPX4 Standard Micro USB Rechargeable Battery Life Indicator

Visibility angle: 270°

The set includes: rubber grips
Das Set beinhaltet: Gummihalterungen



20 LUMENS

RED LINE

ABR0021

Bicycle Tail Light
Fahrrad Ruckleuchte



OUTDOOR LINE

SCREAM 3.1 | ABF0164



1000 lm



40 h



160 m



Li-ion 18650 3400 mAh



IP66



SCREAM 3.2 | ABF0165



600 lm



13 h



140 m



Li-ion 18500 1600 mAh



IP66



SCREAM 3.3 | ABF0161



600 lm



22 h



180 m



3 x AAA



IP66



NOISE XTR 04 | ABF0042



854 lm



28 h 30 min



176 m



Li-ion 3,7V 3400 mAh



IP64



TRAILBLAZER | ABF0163



2000 lm



20 h



270 m



Li-ion 3,7V 5200 mAh



IPX6



DUO SLIM | ABS0031



60 lm / 18 lm



10 h



Li-poly 3,7V 330 mAh



IPX4



WALLE | L-BPM-25L



18 lm



60 h



2 x AAA



IPX4



RED LINE | ABR0021



20 lm



16 h



Li-poly 3,7V 300 mAh



IPX4





HEADLAMPS

STIRNLAMPEN



NOMAD 03

THL0022



120m



340 LUMENS

Cree™ XPL LED + 1 x 5mm Red LED / 340 lm
3 x AAA / 40 000 cd / 40 h


Battery Headlamp Featuring an Additional Red Diode,

3 Filters, Diffuser and Mount NVG

Stirnlampe mit zusätzlicher roten Diode, 3 Filter, Diffusor und Halterung NVG

HIGH	40 h
MEDIUM	75 h
LOW	130 h
ECO	250 h
Red LED HIGH	150 h
Red LED SOS	200 h
60 x 40 x 38 mm	
75 g	
108 g	
12 g	

RCD 002133793-0002



The set includes: batteries, filters, light diffuser, mount NVG
Das Set beinhaltet: Batterien, Filter, Streufilter, Halterung NVG

**ULTIMO**

PHL0011

ANSI Compliant 140m 300 LUMENS

1 x Luxeon™ T LED + 1 x 5mm Red LED / 300 lm + 3 lm
battery 18650 Li-ion 3,7V 2000 mAh / 5 h 30 min

Rechargeable Headlamp Including Accessories
Aufladbare Stirnlampe Ultimo mit rotem Licht und Streulichtblende

HIGH	5 h 30 min
MEDIUM	14 h
LOW	30 h
STROBE	20 h
Red LED HIGH	65 h
Red LED FLASHING	280 h
Rear Red LED HIGH	30 h
Rear Red LED FLASHING	60 h
35 x 82 x 40 mm	
50 x 83 x 45 mm	
66 g	
172 g	
16 g	
100-240V AC HIGH	



The set includes: USB cord, extension cord, 4 helmet clips, 3M mount, pouch
Das Set beinhaltet: USB Kabel, Verlängerungskabel, 4 Klemmen für die Befestigung am Kask, 3M®- Kaskmontage, Etui

Cree™ XP-L White LED / 490 lm / 3 x AA / 4 h

Cree XP-L White LED			
HIGH	490 lm	4 h	147 m
MEDIUM	200 lm	17 h	90 m
LOW	30 lm	64 h	34 m
8Hz FLASHING	n/a	28 h	n/a
Rear Red Light			
STÄLTY	n/a	130 h	n/a
FLASHING	n/a	365 h	n/a
	73 x 54 x 40 mm		
	145 g		
	215 g		



The set includes: batteries
Das Set beinhaltet: Batterien

Samsung™ LH351D LED / 400 lm / 1 200 cd
1 x battery 18650 Li-ion 3,7V 2600 mAh / 13 h 25 min

BOOST (753 lm)	60 sec
HIGH	13 h 25 min
MEDIUM	22 h 35 min
LOW	84 h 55 min
Rear Red LED HIGH	40 h
Rear Red LED 2Hz FLASHING	115 h
	32 x 71 x 34 mm
	38 x 102 x 35 mm
	141 g
	190 g
	141 g
	4 h



The set includes: battery, USB cord, extension cord
Das Set beinhaltet: Akku, USB Kabel, Verlängerungskabel

Samsung™ LH351D LED / 400 lm / 3 x 1,5V AA
12 h 45 min

BOOST (636 lm)	60 sec
HIGH	12 h 45 min
MEDIUM	19 h 30 min
LOW	110 h
Rear Red LED HIGH	250 h
Rear Red LED 2Hz FLASHING	300 h
	32 x 71 x 34 mm
	53 x 76 x 34 mm
	133 g
	204 g



The set includes: batteries, extension cord
Das Set beinhaltet: Batterien, Verlängerungskabel

147 m
 490 LUMENS

CAMO II

AHL0115

Battery Headlamp with Focus Function
Stirnlampe mit Fokusfunktion



OUTDOOR LINE

100m
 400 LUMENS

VIZO RC

AHL0022

Rechargeable Headlamp with Smooth Elliptical Beam
Aufladbare Stirnlampe mit glattem elliptischen Strahl



OUTDOOR LINE

ANSI Compliant
 100m
 400 LUMENS

VIZO

AHL0021

Battery Headlamp with Smooth Elliptical Beam
Batterie Stirnlampe mit glattem elliptischen Strahl



OUTDOOR LINE

4 x Samsung 2835 Cool White SMDs LED / 4 x Samsung 2835 Warm White SMDs LED
1 x Red SMD LED / 400 lm / Li-ion 600mAh / 2 h - 3 h 45 min

	CW+WW	400 lm	2 h	33 m
HIGH	CW	230 lm	3 h 45 min	24 m
	WW	204 lm	3 h 45 min	24 m
	Red	14 lm	5 h 15 min	5 m
LOW	CW+WW	40 lm	7 h 30 min	10 m
	CW	22 lm	13 h	6 m
	WW	20 lm	13 h	6 m
	Red	1 lm	36 h 30 min	2 m
	Red1	FLASHING		
	Red2	SOS		
		40,9 x 34,5 x 29,9 mm		
		46 g		
		5 g		
		3 - 2 h 30 min		

IPX4 Standard Micro USB Rechargeable Silicone Strap Clip

Optional Accessories:
Optionales Zubehör:
AHL0061C - mounting for helmets, Halterung für die Helmbefestigung

The set includes: battery, MicroUSB cord, clip
Das Set beinhaltet: Akku, Micro USB Kabel, Halterung



33m 400 LUMENS

REBEL

orange | orange - AHL0061
blue | blau - AHL0062

Headlamp with Red and White Cool and Warm Light
Stirnlampe mit rotem und weißem kühlem und warmem Licht



OUTDOOR LINE

1 x High Power LED (Cool White) / 2 x SMD LED (Warm White/Red)
1 x AA (LR6) / 17 h

COOL WHITE	max 215 lm min 15 lm	min 3 h max 22 h	max 2230 cd min 150 cd
WARM WHITE	max 58 lm min 6 lm	min 17 h max 51 h	max 175 cd min 19 cd
RED	max 15 lm min 2 lm	min: 16 h max 56 h	max 34 cd min 6 cd
	60 x 38 x 30 mm		
	31 g		
	73 g		

IPX4 Standard Shock Resistant 1m Switch Lock 3s
 ADS Tech memo Last Setting Memory

The set includes: battery, clip
Das Set beinhaltet: Akku, Halterung



ANSI Compliant

94m 215 LUMENS

BLAZER

AHL0111

Headlamp with White Cool and Warm Light
Stirnlampe mit weißem kühlem und warmem Licht



OUTDOOR LINE

1 x Cree™ XPG2 (Cool White) / 2 x Samsung SMD LED (Warm White/Red)
1 x OP-032 (Li-Poly 3,7V 800 mAh) / 3 x AAA (LR3) / 38 h

CW	WW	RED
3 x AAA		
max 360 lm min 22 lm	max 50 lm min 3 lm	max 17 lm min 1 lm
min 5 h 45 min max 54 h	min 38 h max 287 h	min 35 h max 180 h
	Li-Polymer 3,7V 800 mAh	
max 335 lm min 19 lm	max 40 lm min 2 lm	max 15 lm min 1 lm
min 3 h 45 min max 21 h	min 30 h max 131 h	min 22 h max 100 h
	2 h 30 min	
	59 x 48 x 36 mm	
	43 g	
	85 g	

IPX4 Standard Shock Resistant 1m Last Setting Memory
 Switch Lock 3s ADS Tech Micro USB Rechargeable

The set includes: battery, MicroUSB cord
Das Set beinhaltet: Akku, Micro USB Kabel

ANSI Compliant

155m 360 LUMENS

BASE CAMP

AHL0112

Headlamp with Cool Light, Warm Light and Red Light
Stirnlampe mit warmen und rotem Licht



OUTDOOR LINE

1 x XP-L Cree™ White LED / 510 lm
1 x battery Li-poly 3,7 V 800 mAh / 3 x 1,5 V AAA
2 h 30 min

ANSI Compliant 150 m


510 LUMENS

MAVERICK

AHL0051

Focus Control Headlight
Stirnlampe
mit Focus Funktion

HIGH	510 lm	2 h 30 min	150 m
MEDIUM	240 lm	5 h 30 min	100 m
LOW	30 lm	21 h 00 min	35 m
FLASHING	10 lm	1 h 30 min	5 m
A			62 x 46 x 45 mm
B			88 g
C [+]			109 g
D [+]			122 g
E			2 h 30 min
F IP64 Standard			↓ 2m Shock Resistant
G Micro USB Rechargeable			Focus
H Motion Sensor			



AHL0051M



Optional Accessories:

Optionales Zubehör:

AHL0051M - Dual side velcro tape for helmets
Doppelseitiger Klettverschluss für die Helmbefestigung
AHL0051B - additional battery, Zusatz-Akku



The set includes: ■ battery, ■ USB cord
Das Set beinhaltet: ■ Akku, ■ USB Kabel

OUTDOOR LINE

1 x XP-G2 Cree™ White LED / 320 lm
3 x AAA / 5 h 30 min

ANSI Compliant 150 m

320 LUMENS

MAVERICK
WHITE PERK

AHL0052

Focus Control Headlight
Stirnlampe
mit Focus Funktion

HIGH	320 lm	5 h 30 min	150 m
MEDIUM	145 lm	13 h 00 min	100 m
LOW	18 lm	60 h 00 min	35 m
FLASHING	n/a	3 h	n/a
A			62 x 46 x 45 mm
B			73 g
C [+]			108 g
F IP64 Standard			↓ 2m Shock Resistant
G Focus			ADS Tech
H Motion Sensor			



AHL0051M



Optional Accessories:

Optionales Zubehör:

AHL0051M - Dual side velcro tape for helmets
Doppelseitiger Klettverschluss für die Helmbefestigung

The set includes: ■ battery
Das Set beinhaltet: ■ Batterie

XP-L U2 90 CRI LED, 3000 K, 300 lm / Nichia™ 0,5W LED / 54 lm
1 x battery Li-poly 3,7V 800 mAh / 3 x 1,5V AAA batteries / 2 h 30 min

90 CRI

300 KELVINS

300 LUMENS

sunscan
5.3

PHL0031

High CRI Headlamp
Hohe CRI Stirnlampe

● WARM WHITE	XP-L U2 [90 CRI] LED, 3000 K
100%	300 lm 2 h 30 min 123 m
50%	152 lm 5 h 42 min 85 m
10%	33 lm 18 h 42 min 38 m
● COLD WHITE	Nichia™ 0,5 W LED, 54 lm
100%	54 lm 9 h 36 min 15 m
FLASHING 2Hz	54 lm 20 h 15 m
E	Li-poly 3,7V 800 mAh / 3 x 1,5V AAA
A	62 x 41 x 43 mm
B	92 g
C [+]	112 g
D	2 h 30 min
F IP64 Standard	
G ↓ 2m Shock Resistant	
H Micro USB Rechargeable	
I Focus	
J DSS Dual Source System	



AHL0051H



Optional Accessories:

Optionales Zubehör:

AHL0051M - Dual side velcro tape for helmets
Doppelseitiger Klettverschluss für die Helmbefestigung
AHL0051B - additional battery, Zusatz-Akku

The set includes: ■ battery, ■ USB cord
Das Set beinhaltet: ■ Akku, ■ USB Kabel

CRI COLOR MATCH LINE

TRUSTED BY PROS®

22

6W Cree™ XPG3 LED / 600 lm
1 x battery Li-ion 16340 700 mAh / 1 x CR123A / 14 h 44 min



600 LUMENS

CYCLOPE II

THL0131

Rechargeable High Power Headlamp
Akkubetriebene Hochleistungs-Stirnlampe

BOOST	600 lm	40 s	90 m
HIGH	240 lm	1 h 44 min	56 m
LOW	10 lm	5 h 4 min	11 m
STROBE	600 lm	2 h	90 m
72,5 x 25,5 mm			
41 g			
62 g (with battery, mit Akku)			
57 g (with batteries, mit Batterien)			
31 g			

IP65 Standard USB Rechargeable DSS Dual Source System

Magnetic Charging Tailcap Clip



EDC & BUSHCRAFT LINE

The set includes: ↪ a head harness with a rubber holder, ↪ clip, ☐ battery, ☐ magnetic charger (MicroUSB), ⚡ additional tailcap
Das Set beinhaltet: ↪ Gurt mit Gummigriff an der Stirn, ↪ Halterung, ☐ Akku, ☐ Magnetisches Ladegerät (MicroUSB), ⚡ zusätzliche hintere Mutter

Lattice Power HM LED / 1 x battery 18650 Li-ion 3,7V 3000 mAh / 2 h 30 min

115m 1200 LUMENS

SIRIUS HI2

NEW

AHL0172

Angle Headlamp
Eine abgewinkelte
Stirnlampe

HIGH	1200 lm	2 h 30 min	115 m	3306 cd
MEDIUM	256 lm	5 h 10 min	52 m	676 cd
LOW	86 lm	28 h	31 m	240 cd
FIREFLY	3 lm	400 h	1,5 m	0,6 cd
STROBE	1200 lm	n/a	n/a	n/a
	4 h			
	84 x 29,5 mm			
	36 g			
[±]	83 g			

IP68 Standard Shock Resistant Switch Lock Last Setting Memory



The set includes: ☐ battery, ☐ magnetic charger, ↪ strap, ⚡ o-ring
Das Set beinhaltet: ☐ Akku, ☐ Magnetisches Ladegerät, ↪ Schlaufe, ⚡ o-ring

1 x High Power LED (Cool White) / 2 x SMD LED (Green/Red) / 1 x AA (LR6) / 3 h

ANSI Compliant 94m

215 LUMENS

TUNDRA

NEW

THL0111

Headlamp with Green and Red Light
Eine Stirnlampe mit grünem und rotem Licht

COOL WHITE	max 215 lm min 15 lm	min 3 h max 22 h	max 2230 cd min 150 cd
GREEN	max 24 lm min 5 lm	min 19 h max 76 h	max 84 cd min 20 cd
RED	max 15 lm min 2 lm	min 16 h max 56 h	max 34 cd min 6 cd
60 x 38 x 30 mm			
31 g			
73 g			

IPX4 Standard Shock Resistant ADS Tech

3s Switch Lock Last Setting Memory



EDC & BUSHCRAFT LINE

The set includes: ☐ battery, ↪ clip

Das Set beinhaltet: ☐ Batterie, ↪ Halterung

TRUSTED BY PROS®

MAVERICK | AHL0051

510 lm	21 h	150 m	Li-poly 3,7V 800 mAh 3 x 1,5V AAA	IP64



MAVERICK WHITE PEAK | AHL0052

320 lm	60 h	150 m	3 x AAA	IP64



CAMO II | AHL0115

490 lm	64 h	147 m	3 x AA	IP64



VIZO RC | AHL0022

400 lm	115 h	100 m	Li-ion 3,7 2600 mAh	IP64



VIZO | AHL0021

400 lm	300 h	100 m	3 x 1,5V AA	IP64



REBEL | AHL0061-pomarańczowy | AHL0062-niebieski

400 lm	36 h 30 min	33 m	Li-ion 600 mAh	IPX6



BASE CAMP | AHL0112

360 lm	287 h	155 m	Li-poly 3,7V 800 mAh 3 x AAA	IPX4



BLAZER | AHL0111

215 lm	56 h	94 m	1 x AA	IPX4



NOMAD 03 | THH0022

340 lm	250 h	120 m	3 x AAA	IP64



CYCLOPE II | THL0131

600 lm	5 h 4 min	90 m	Li-ion 16340 700 mAh	IP65



TUNDRA | THL0021

215 lm	76 h	94 m	1 x AA	IPX4



SIRIUS H12 | AHL0172

1200 lm	2 h 30 min	115 m	Li-ion 18650 3,7V 3000 mA	IP68



SUNSCAN 5.3 | PHL0031

300 lm	18 h 42 min	123 m	Li-poly 3,7V 800 mAh 3 x 1,5 V AAA	IP66



ULTIMO | PHL0011

300 lm	280 h	140 m	Li-ion 3,7V 2000 mAh	IPX4





EDC & **BUSHCRAFT** LINE



ANSI Compliant

94m

215 LUMENS

TUNDRA

THL0111

NEW

1 x High Power LED (Cool White) / 2 x SMD LED (Green/Red) / 1 x AA (LR6) / 3 h

Headlamp with Green and Red Light
Eine Stirnlampe mit grünem und rotem Licht

COOL WHITE	max 215 lm min 15 lm	min 3 h max 22 h	max 2230 cd min 150 cd
GREEN	max 24 lm min 5 lm	min 19 h max 76 h	max 84 cd min 20 cd
RED	max 15 lm min 2 lm	min 16 h max 56 h	max 34 cd min 6 cd
A			60 x 38 x 30 mm
G			31 g
B			73 g



The set includes: battery, clip
Das Set beinhaltet: Batterie, Halterung

EDC & BUSHCRAFT LINE

90m

600 LUMENS

CYCLOPE II

THL0131

6W Cree™ XPG3 LED / 600 lm
1 x battery Li-ion 16340 700 mAh / 1 x CR123A / 14 h 44 min

Rechargeable High Power Headlamp
Akku betriebene Hochleistungs-Stirnlampe

BOOST	600 lm	40 s	90 m
HIGH	240 lm	1 h 44 min	56 m
LOW	10 lm	5 h 4 min	11 m
STROBE	600 lm	2 h	90 m
A			72,5 x 25,5 mm
G			41 g
B			62 g (with battery, mit Akku)
B			57 g (with batteries, mit Batterien)
S			31 g



The set includes: a head harness with a rubber holder, clip, battery, magnetic charger (MicroUSB), additional tailcap
Das Set beinhaltet: Gurt mit Gummigriff an der Stirn, Halterung, Akku, Magnethisches Ladegerät (MicroUSB), zusätzliche hintere Mutter

EDC & BUSHCRAFT LINE

TRUSTED BY PROS®

27

Lattice Power HM LED / 1 x battery 18650 Li-ion 3,7V 3000 mAh / 2 h 30 min

115m  1200 LUMENS

SIRIUS HI2

AHL0172

Angle Headlamp
Eine abgewinkelte
Stirnlampe

HIGH	1200 lm	2 h 30 min	115 m	3306 cd
MEDIUM	256 lm	5 h 10 min	52 m	676 cd
LOW	86 lm	28 h	31 m	240 cd
FIREFLY	3 lm	400 h	1,5 m	0,6 cd
STROBE	1200 lm	n/a	n/a	n/a
 	4 h			
	84 x 29,5 mm			
	36 g			
 	83 g			

 IP68 Standard  Shock Resistant  3s Switch Lock  memo



The set includes:  battery,  magnetic charger,  strap,  o-ring
Das Set beinhaltet:  Akku,  Magnetisches Ladegerät,  Schlaufe, 



EDC & BUSHCRAFT LINE

Cree™ XP-L HI LED
battery 16340 Li-ion 3,7V 650 mAh / 50 min

HIGH	1000 lm	50 min	100 m	2552 cd
MEDIUM	140 lm	2 h	40 m	472 cd
LOW	40 lm	6 h 30 min	20 m	100 cd
FIREFLY	5 lm	100 h	n/a	n/a
STROBE	1000 lm	n/a	n/a	n/a
 	1 h 30 min			
	56 x 20 mm			
	25 g			
 	44,5 g			

 IPX8 Standard  Shock Resistant  3s Switch Lock  memo



The set includes:  battery,  USB cord,  clip
Das Set beinhaltet:  Batterie,  USB Kabel, 



SIRIUS M10

THH0171

Multi-functional Flashlight
Multifunktions Lampe



EDC & BUSHCRAFT LINE

Cree™ XH-P 50 LED
1 x battery 21700 Li-ion 3,7V 5000 mAh / 2 h

EXTREME HIGH	2500 lm	2 h 48 min	360 m	37400 cd
HIGH	700 lm	3 h	125 m	4096 cd
MEDIUM	160 lm	16 h	75 m	1406 cd
FIREFLY	3 lm	1000 h	n/a	n/a
STROBE	2500 lm	n/a	n/a	n/a
 	6 h 30 min			
	112 x 30 mm			
	53 g			
 	124 g			

 IP68 Standard  Shock Resistant  3s Switch Lock  memo



The set includes:  battery,  USB cord,  clip
Das Set beinhaltet:  Batterie,  USB Kabel, 



SIRIUS T25

THH0172

Multi-functional Flashlight
Multifunktions Lampe

360m  2500 LUMENS

2500 LUMENS



EDC & BUSHCRAFT LINE



TACTICAL LINE



Cree™ XHP 35 / 1800 lm / 1 x battery Li-ion 18650-3200 mAh
2 x CR123A / 2 h 12 min

COMPATIBLE WITH
320m

1800 LUMENS

T-FORCE HP

THH0111

Tactical High Power Flashlight
Taktische Hochleistungs-Taschenlampe



TACTICAL LINE

	1 x Li-ion 18650-3200 mAh	2 x CR123A
BOOST	1800 lm	60 s
HIGH	850 lm	2 h 12 min
MEDIUM	214 lm	5 h 23 min
LOW	57 lm	17 h 24 min
STROBE	670 lm	4 h 30 min
FIREFLY	0,33 lm	45 dni
	4 h	
	133 x 25,4 x 23 mm	
	76 g	
	123 g	
	49 g	



IPX8 Standard

Shock Resistant

Color Filters

Remote Pressure Switch

Weapons Mount



The set includes: battery, filters, weapons mount, remote pressure switch, USB Magnet Cord, key
Das Set beinhaltet: Akku, Filter, Picatinny Halterung, Gelschalter, USB Magnetlädgerät, Schlüssel

Cree™ XM-L2 U3 White LED 1000 lm
1 x RCR123A (3,7V) / 1 x CR123A (3V) / 4 h

COMPATIBLE WITH
173m

1000 LUMENS

T-FORCE VR

THH0112

Tactical Versatile Flashlight
Taktische vielseitige Taschenlampe



	1 x RCR123A	1 x CR123A
HIGH	1000 lm	30 min
MEDIUM	165 lm	2 h 18 min
LOW	47 lm	9 h 6 min
STROBE	430 lm	2 h 18 min
FIREFLY	1 lm	15 dni
	2,5 h (RCR123A, 700 mAh)	
	90,67 x 25,4 x 22,2 mm	
	59 g	
	77 g	
	50 g	



IPX8 Standard

Color Filters

Remote Pressure Switch

Weapons Mount

USB Cord



The set includes: battery, filters, weapons mount, remote pressure switch, USB Cord, key
Das Set beinhaltet: Akku, Filter, Picatinny Halterung, Gelschalter, USB Kabel, Schlüssel

TACTICAL LINE

Cree™ XM-L2 U3 LED 595 lm / 1 x CR123A / 1 x RCR123A

COMPATIBLE WITH



595 LUMENS

T-FORCE PSL

THM0020

Tactical Handgun Flashlight
Taktische Handpistolen-Taschenlampe

	1 x CR123A		1 x RCR123A	
HIGH	395 lm	1 h 12 min	595 lm	50 min
LOW	80 lm	3 h 30 min	120 lm	2 h 30 min
STROBE	395 lm	1 h 30 min	595 lm	1 h
▲	71 x 33,2 x 38,9 mm			
■	86 g			
■ [E]	102 g			



DSS™
Dual Source
System



The set includes: ■ battery CR123A, ■ o-rings set
Das Set beinhaltet: ■ Batterie CR123A, ■ O-Ring-Set

Cree™ XM-L2 U3 LED / 550 lm / 1 x CR123A / 1 x RCR123A

COMPATIBLE WITH



550 LUMENS

T-FORCE LSR

THM0010

Tactical Laser Handgun Flashlight
Taktische Laser-Handpistolen-Taschenlampe

	1 x CR123A		1 x RCR123A	
CONSTANT	380 lm	1 h	550 lm	56 min
LASER [GREEN]	5 mW	6 h 58 min	5 mW	4 h 6 min
▲	76 x 33 x 48 mm, Ø 21,5 mm			
■	109 g			
■ [E]	125 g			



DSS™
Dual Source
System



The set includes: ■ battery CR123A, ■ o-rings set, ■ key
Das Set beinhaltet: ■ Batterie CR123A, ■ O-Ring-Set, ■ Schlüssel

TACTICAL LINE

ANSI Compliant

391 m

 1150 LUMENS
NIGHT HUNTER 03

THH0232

Cree™ XML / 1150 lm / 2 x CR123A
1 x battery 18650 Li-ion 3400 mAh / 38 400 cd / 2 h

BOOST	1150 lm	1 min
HIGH	915 lm	2 h
MEDIUM	457 lm	3 h 11 min
LOW	182 lm	6 h 30 min
ECO	18 lm	62 h 50 min
	193 g	
	240 g	
	155 × 45 mm	



Optional Accessories:
Optionales Zubehör:



Filter / Filter T-NTP-FILTER-D45-IR850



Filter / Filter T-NTP-FILTER-D45-UV



Filter / Filter T-NTP-FILTER-D45-RED



Filter / Filter T-NTP-FILTER-D45-GREEN



Tailcap button / Knopf an der hinteren Mutter T-NTP-SW-6AL



Holster / Holster T-NTP-holster-1



Charger / Ladegerät MAC0011



Battery / Akku Li-ion 18650, 3350 mAh, RAC0026

THH0232 The set includes:  battery,  charger 230V,  charger 12V,  handstrap
THH0232 Das Set beinhaltet:  Akku,  Ladegerät 230V,  Ladegerät 12V,  Handschlaufe

ANSI Compliant

COMPATIBLE WITH

170 m

 700 LUMENS

Cree™ XP-L / 700 lm / 2 x CR123A / 45 min

MCT-3

THH0151

Tactical LED with High Output 700 lm,
adapted for mounting on Glauberty type rifle
Taktische Hochleistungstaschenlampe für die Waffenmontage

PRODUCT MODEL TO BE WITHDRAWN

ZURÜCKZUNEHMENDES PRODUKTMODELL

2 x CR123A	
HIGH czasowy	700 lm - 45 min
	ø 25,4-32,4 × 110 mm
	101 g



The set includes:  remote pressure switch
Das Set beinhaltet:  Entfernter Druckschalter

T-FORCE HP | THH0111



1800 lm



17 h 24 min



320 m

Li-ion 18650 3200 mAh
2 x CR123A

IPX8



T-FORCE VR | THH0112



1000 lm



16 h 54 min



173 m

1 x RCR123 3,7V
1 x CR123A

IPX8



T-FORCE LSR | THM0010



550 lm



6 h 58 min



149 m

1 x RCR123 3,7V
1 x CR123A

IPX4



T-FORCE PSL | THM0020



595 lm



3 h 30 min



133 m

1 x RCR123 3,7V
1 x CR123A

IPX6



NIGHT HUNTER 03 | THH0232



1150 lm



62 h 50 min



391 m



Li-ion 18650 3400 mAh



IPX7



MCT-3 | THH0151



700 lm



45 min



170 m



2 x CR123A



IPX8



115 m

2 x 365 nm UV

1000 LUMENS

TRACER UV

THH0125

Tactical UV LED Flashlight
Taktische UV-Taschenlampe



TACTICAL LINE

1 x Cree® XLAMP® XPL LED + 2 x UV LED 365 nm / 1000 lm
1 x battery 18650 Li-ion 3400 mAh / 3 h 12 min

	1 x Cree® XLAMP® XPL LED	2 x UV LED 365 nm
HIGH	1000 lm	3 h 12 min
MEDIUM	500 lm	5 h 36 min
LOW	100 lm	22 h
STROBE		3 h
	131 x 37 x 26 mm	
	138 g	
	185 g	
	6 h	

IPX8
Standard

Micro USB Rechargeable

The set includes: battery, USB Cord
Das Set beinhaltet: Akku, USB Kabel

Tracer UV is a full-blooded tactical flashlight with additional UV (365 nm) LEDs. Designed for professional, heavy-duty use, especially for police forces and border patrol. Lightweight and durable aircraft grade aluminium significantly reduces the device's weight for easier operation and transport. The white LED rated at 1,000 lumens guarantees an effective range of 115 m, surpassing even the highest expectations. Tracer UV has a silent operating push-button, a welcome feature among professional servicemen. The powerful lithium-ion battery guarantees up to 22 hours of continuous operation and can be recharged via MicroUSB.



Tracer UV ist eine bewährte taktische Taschenlampe mit zusätzlichen 365 nm UV-LEDs. Sie wurde im Hinblick auf den professionellen Einsatz in verschiedenen Diensten - insbesondere für Polizei und Grenzschutz entwickelt. Langlebiges und leichtes Flugzeugaluminium reduziert deutlich die Gewicht des Geräts, wodurch es bequem zu bedienen und zu transportieren ist. Eine weiße Diode mit einer Helligkeit von 1000 Lumen bietet 115 Meter effektiver Reichweite, das auch die anspruchsvollsten Erwartungen erfüllt. Tracer UV ist mit einem geräuschlosen Schalter ausgestattet, der für offizielle Dienstleuchten charakteristisch ist. Leistungsstarker Lithium-Ionen-Akku garantiert Dauerbetrieb für bis zu 22 Stunden und wird zudem durch einen microUSB-Anschluss ergänzt.

4 x Cree™ XHP LED / 11600 lm / 70000 cd
1 x Li-ion 7,4V 7800 mAh / 4 h

525m

11600 LUMENS

BLITZ K12

THS0011

Rechargeable High Power Searchlight
Akkubetriebener Hochleistungs-Suchstrahler

Cree™ XHP LED				
BOOST	11600 lm	70000 cd	3 h	525 m
HIGH	5000 lm	25000 cd	4 h	315 m
MEDIUM	1500 lm	8000 cd	7 h	178 m
LOW	600 lm	6000 cd	15 h	154 m
ECO	180 lm	1000 cd	54 h	62 m
FLASHING 8Hz	n/a	n/a	15 h	n/a
	95 x 273 mm			
	952 g			
	1248 g			
	9 h			

IP67 Standard Shock Resistant Battery Charge Indicator Switch Lock

The set includes: battery, 230V AC charger, armstrap, case
Das Set beinhaltet: Akku, 230V AC Ladegerät, Armschlaufe, Koffer

Cree™ XHP WHITE LED / 3000 lm / 40000 cd
1 x Li-ion 3,7V 5000 mAh / 3 h 30 min

375m

3000 LUMENS

BLITZ K3

THS0021

Rechargeable High Power Flashlight
Akkubetriebener Hochleistungs-Taschenlampe

Cree™ XHP WHITE LED				
BOOST	3000 lm	40000 cd	1 h 30 min	375 m
HIGH	1000 lm	12500 cd	3 h 30 min	220 m
MEDIUM	500 lm	6000 cd	4 h	155 m
LOW	100 lm	750 cd	25 h	55 m
FLASHING 8Hz	n/a	n/a	8 h	n/a
	62 x 172 mm			
	350 g			
	449 g			
	9 h			

IP67 Standard Shock Resistant Battery Charge Indicator Switch Lock

The set includes: battery, 230V AC charger, armstrap, case
Das Set beinhaltet: Akku, 230V AC Ladegerät, Armschlaufe, Koffer

Cree™ XP-L HI WHITE LED / 1100 lm / 300000 cd
1 x Li-ion 7,4V 2600 mAh / 8 h

1100 m

1100 LUMENS

BLITZ LR11

THS0031

Rechargeable High Power Flashlight
Akkubetriebener Hochleistungs-Taschenlampe

XP-L HI Cree™ WHITE LED				
BOOST	1100 lm	300000 cd	1 h 30 min	1100 m
HIGH	600 lm	145000 cd	8 h	760 m
MEDIUM	350 lm	98000 cd	13 h	620 m
LOW	100 lm	25000 cd	26 h	315 m
FLASHING 8Hz	n/a	n/a	8 h	n/a
	90 x 265 mm			
	557 g			
	685 g			
	4 h			

IP67 Standard Shock Resistant Battery Charge Indicator Switch Lock

The set includes: battery, 230V AC charger, armstrap, case
Das Set beinhaltet: Akku, 230V AC Ladegerät, Armschlaufe, Koffer

ANSI Compliant  333 m  1550 LUMENS

BLACK EY3 1550

NEW

CREE XHP50.2 20W LED / 18650 Li-ion 3,7V 3200 mAh / 2 h 30 min

HIGH	1550 lm	2 h 30 min
MEDIUM	680 lm	4 h
LOW	127 lm	15 h 15 min
SOS	n/a	5 h
STROBE	n/a	5 h 30 min
	18650 Li-ion 3,7V 3200 mAh	
	4 h 30 min	
	160 x 46 x 29 mm	
	175 g	
	225 g	



 IP65  1.5m
Standard Shock Resistant



The set includes:  battery,  230V AC charger,  charger 12V DC,  armstrap
Das Set beinhaltet:  Akku,  230V AC Ladegerät,  Ladegerät 12V DC,  Armschlaufe

ANSI Compliant

 286 m

 1000 LUMENS

BLACK EY3 1000

NEW

OSRAM P9 10W LED / 18650 Li-ion 3,7V 3200 mAh / 3 h 30 min

HIGH	1000 lm	3 h 30 min
MEDIUM	447 lm	5 h 45 min
LOW	94 lm	23 h 30 min
SOS	n/a	5 h 30 min
STROBE	600 lm	10 h
	18650 Li-ion 3,7V 3200 mAh	
	4 h 30 min	
	136 x 36,5 x 28,5 mm	
	113 g	
	162 g	



 IP65  1.5m
Standard Shock Resistant



The set includes:  battery,  230V AC charger,  charger 12V DC,  diffuser,  armstrap
Das Set beinhaltet:  Akku,  230V AC Ladegerät,  Ladegerät 12V DC,  Streufilter,  Armschlaufe

TACTICAL LINE

TRUSTED BY PROS®

36

Cree™ XP-L LED / 1100 lm / 2 × CR123
1 × battery Li-ion 3,7 V 2600 mAh / 2 h / 14 960 cd

ANSI Compliant




1100 LUMENS

BLACK EYE 1100

THH0043

USB Rechargeable Tactical Flashlight with Powerful Output
Mit USB aufladbare taktische Taschenlampe mit einer hohen Leistung

	1 x Li-ion 3.7 V	2 × CR123	
HIGH	1100 lm	2 h	1 h
MEDIUM	600 lm	3 h	1 h 12 min
LOW	200 lm	30 h	4 h
ECO	15 lm	100 h	40 h
STROBE	n/a	1 h 30 min	42 min
230V AC HIGH		4 - 5 h	
12V DC HIGH		4 - 5 h	
	142 × 34 × 28 mm		
	131 g		
	177 g		
	3 g		



Optional Accessories:
Optionales Zubehör:



The set includes: battery, handstrap, USB cord, holster, clip
Das Set beinhaltet: Akku, Handschlaufe, USB Kabel, Holster, Halterung



TACTICAL LINE

Osram™ P8 5W LED / 135 lm / 1 × AA / 1 h 30 min / 11 072 cd



135 LUMENS

BLACK EYE MINI

L-MX512L

Compact Battery Flashlight with a Bright, Tight Beam and Focus Function
Taschenlampe Black Eye Mini, 135 lm mit Fokus-Funktion

HIGH	1 h 30 min
30%	6 h
	118-124,5 × 29 × 20 mm
	79 g
	102 g



The set includes: battery, clip
Das Set beinhaltet: Batterie, Halterung

TACTICAL LINE

1 x Cree™ XP-G2 / 420 lm / 4 x AAA / 18 968 cd / 1 h 30 min

ANSI Compliant

275m

 420 LUMENS

SNIPER 3.2

THH0062

Battery Flashlight with Silent Switch
Batterie-Taschenlampe

HIGH	420 lm	1 h 30 min
MEDIUM	210 lm	5 h
LOW	84 lm	12 h 10 min
ECO	21 lm	47 h
STROBE		90 h
 	ø 38 x 129 mm	
 	127 g	
 	172 g	



The set includes:  batteries,  handstrap
Das Set beinhaltet:  Batterien,  Handschlaufe

1 x XP-L Cree™ / 1000 lm
1 x battery 18650 Li-ion 3,7V 2600 mAh / 10 400 cd / 4 h

ANSI Compliant

205m

 1000 LUMENS

SNIPER 3.3

THH0063

MicroUSB Rechargeable Flashlight with Powerful Output and Power Bank Function
Leistungsstarke wiederaufladbare Taschenlampe mit integrierter Power Bank

HIGH	1000 lm	4 h
MEDIUM	500 lm	7 h
LOW	200 lm	10 h
ECO	50 lm	50 h
STROBE		18 h
 	ø 29 x 150 mm	
 	138 g	
 	187 g	
 	4 h	



The set includes:  batteries,  handstrap,  USB cord
Das Set beinhaltet:  Akku,  Handschlaufe,  USB Kabel

Cree™ XML210W LED / 600 lm / 3 x AAA / 2 h

ANSI Compliant

80m

 600 LUMENS

SNIPER 3.4

THH0012

Battery Flashlight with Focus Function
LED Taschenlampe mit Focus-Funktion

HIGH	600 lm	2 h
LOW	180 lm	8 h
STROBE	600 lm	4 h
 	110-120 x 27,5 x ø33 mm	
 	105 g	
 	139 g	



The set includes:  batteries,  clip,  holster,  handstrap
Das Set beinhaltet:  Batterien,  Halterung,  Holster,  Handschlaufe

TACTICAL LINE

TACTICAL LINE



PATROL LINE



Cree® XM-L LED
1 x battery Li-ion 3,7V / 3350 mAh
1 h 38 min

ANSI Compliant

278m 1000 LUMENS

PATROL CHARGER + PRO

THH0054

Patrol Flashlight with Modular, Peripheral Charger
Patrouille-Taschenlampe mit modularem peripherem Ladegerät

NEW

BOOST	1000 lm	1 min
HIGH	800 lm	1 h 38 min
MEDIUM	350 lm	3 h
LOW	100 lm	9 h 30 min
STROBE	n/a	6 h
	185 x 47 x 31 mm	
	190 g	
	255 g	
	1 x LG 18650 3350mAh - 4-6 h	2 x LG 18650 3350 mAh - 6-10 h

IPX7 Standard Shock Resistant



PATROL LINE

Features and benefits:
Eigenschaften und Vorteile:



The set includes: 2 x battery, modular and peripheral charger, 230V charger, 12V charger, wall docking station
Das Set beinhaltet: 2 x Akku, modulares peripheres Ladegerät, 230V Ladegerät, 12V Ladegerät, Wand-Andock-Station

Cree® XM-L LED
1 x battery Li-ion 3,7V 3350 mAh
1 h 38 min

ANSI Compliant

278m 1000 LUMENS

PATROL LTD

THH0055

Patrol Flashlight with Dual Switches and Docking Station
Taschenlampe für Patrouille mit Ladegerät

NEW

BOOST	1000 lm	1 min
HIGH	800 lm	1 h 38 min
MEDIUM	350 lm	3 h
LOW	100 lm	9 h 30 min
STROBE	n/a	6 h
	185 x 47 x 31 mm	
	190 g	
	255 g	
	1 x LG 18650 3350mAh - 4-6 h	

IPX7 Standard Shock Resistant



PATROL LINE

Features and benefits:
Eigenschaften und Vorteile:



The set includes: battery, 230V charger, 12V charger, wall docking station
Das Set beinhaltet: Akku, 230V Ladegerät, 12V Ladegerät, Wand-Andock-Station

Cree® XM-L2 LED
2 x battery 26650 Li-ion 6000 mAh (3,7V)
4 h

ANSI Compliant

420m 


EXPERT PL3™

THH0022

NEW

Patrol Flashlight with Stepless Light Regulation
Patrouillen-Taschenlampe mit stufenlosem Lichteinstellsystem

HIGH	800 lm	43560 cd	420 m	4 h
LOW	82 lm	4644 cd	136 m	26 h
STROBE	n/a	n/a	n/a	n/a
 	ø 48 x 239 mm			
 	440 g			
 	6 h (5V 1A)			



RUBBER GRIP



The set includes:  battery,  USB cord,  wall docking station,  magnet charger
Das Set beinhaltet:  Akku,  USB Kabel,  Wand-Andock-Station, 

Cree® XM-L2 LED CREE
3 x battery 26650 Li-ion 9000 mAh (3,7V)
7 h

ANSI Compliant

470m 

EXPERT PL5™

THH0023

NEW

Patrol Flashlight with Stepless Light Regulation
Patrouillen-Taschenlampe mit stufenlosem Lichteinstellsystem

HIGH	1100 lm	54840 cd	468 m	7 h
LOW	110 lm	5624 cd	150 m	30 h
STROBE	n/a	n/a	n/a	n/a
 	ø 48 x 300 mm			
 	560 g			
 	8 h (5V 1A)			



RUBBER GRIP



The set includes:  battery,  USB cord,  handstrap,  wall docking station,  magnet charger
Das Set beinhaltet:  Akku,  USB Kabel,  Handschlaufe,  Wand-Andock-Station, 

BLACK EYE 1550 | THH0046

1550 lm

2 h 30 min

333 m

Li-ion 3,7V 3200 mAh

IP65



BLACK EYE 1000 | THH0045

1000 lm

3 h 30 min

286 m

Li-ion 3,7V 3200 mAh

IP65



BLACK EYE 1100 | THH0043

1100 lm

100 h

245 m

Li-ion 3,7V 2600 mAh
CRI123

IPX7



BLACK EYE MINI | L-MX512L

135 lm

6 h

100 m

1 x AA

IP65



SNIPER 3.2 | THH0062

420 lm

47 h

275 m

4 x AAA

IP64



SNIPER 3.3 | THH0063

1000 lm

50 h

205 m

Li-ion 3,7V 2600 mAh

IP66



SNIPER 3.4 | THH0012

600 lm

8 h

180 m

3 x AAA

IP66



PATROL CHARGER+PRO | THH0054

1000 lm	9 h 30 min	278 m	Li-ion 3,7V 3350 mAh	IPX7



PATROL LTD | THH0055

1000 lm	9 h 30 min	278 m	LG 18650 3350 mAh	IPX7



EXPERT PL3 | THH0022

800 lm	26 h	420 m	2 x 26650 Li-ion 3,7V 6000 mAh	IPX7



EXPERT PL5 | THH0023

1100 lm	30 h	470 m	3 x 26650 Li-ion 3,7V 9000 mAh	IPX7



BLITZ K12 | THS0011

11600 lm	54 h	525 m	Li-ion 7,4V 7800 mAh	IP67



BLITZ K3 | THS0021

3000 lm	25 h	375 m	Li-ion 3,7V 5000 mAh	IP67



BLITZ LR11 | THS0031

1100 lm	26 h	1100 m	Li-ion 7,4V 2600 mAh	IP67





ZONE 0 LINE



Cree™ XP-G2 LED / 323 lm / 20 736 cd / 4 x AA / 6 h 30 min

ANSI Compliant



288 m

323 LUMENS

M-Fire AG EX

PHH0221

Right Angle Battery Flashlight with Ex-ATEX Certificate
M-FIRE AG Winkeltaschenlampe mit dem Zertifikat ATEX Ex-Schutz

ATEX No.: I M1 Ex ia I Ma / II 1G Ex ia IIC T4 Ga Sira 15ATEX 2166Xg

HIGH	6 h 30 min	323 lm
MEDIUM	13 h	140 lm
■	4 x Energizer E91 (AA)	
▲	183 x 69 x 63 mm	
■	260 g	
■ [+]	354 g	
■ [S]	33 g	

IP54
Standard

↓
1m
Shock Resistant



PHH0021H1 - wall mount (1 flashlight), Montagegriff (1 taschenlampe)
PHH0021H2 - wall mount (2 flashlights), Montagegriff (2 Taschenlampen)
PHH0021H3 - wall mount (3 flashlights), Montagegriff (3 Taschenlampen)
PHH0021C - clip, Halterung

The set includes: ■ batteries, ■ clip

Das Set beinhaltet: ■ Batterien, ■ Halterung



ZONE 0 LINE

Cree™ XP G LED / 2 x battery 1960 mAh Li-ion / 4 h 15 min

ANSI Compliant



432 m

222 LUMENS

M-Fire SL112 EX

PSL0111

Rechargeable Spot Light Ex-ATEX Certified
Ex-ATEX-zertifizierter wiederaufladbarer Suchscheinwerfer

ATEX No.: Ex I M1 EX IA I MA / Ex II 1G EX IA OP IS IIC T4GA Sira 17 ATEX 2195X

HIGH	4 h 15 min	222 lm	432 m
MEDIUM	14 h	69 lm	270 m
LOW	82 h 10 min	11 lm	110 m
■	2 x 1960 mAh Li-ion		
▲	256 x 136 x 170 mm		
■	700 g		
■	1050 g (product + base)		

IP64
Standard

Base that can be
vertically mounted
Ladestation mit der Möglichkeit
der vertikalen Montage



The set includes: ↪ strap, ↪ base

Das Set beinhaltet: ↪ Schlaufe, ↪ Ladestation



ZONE 0 LINE

Cree™ XP G LED / 2 x battery 1960 mAh Li-ion / 4 h 15 min

ANSI Compliant



432 m

222 LUMENS

M-Fire SL112 EX


PSL0111/TRUCK

Rechargeable Spot Light Ex-ATEX Certified
Ex-ATEX-zertifizierter wiederaufladbarer Suchscheinwerfer

ATEX No.: Ex I M1 EX IA I MA / Ex II 1G EX IA OP IS IIC T4GA Sira 17 ATEX 2195X

HIGH	4 h 15 min	222 lm	432 m
MEDIUM	14 h	69 lm	270 m
LOW	82 h 10 min	11 lm	110 m
■	2 x 1960 mAh Li-ion		
▲	256 x 136 x 170 mm		
■	700 g		
■	1050 g (product + base)		

IP64
Standard



SOCKET A
charging from
a 230V adapter

SOCKET B
charging directly
with 12/24 V DC



ZONE 0 LINE

The set includes: ↪ strap, ↪ base

Das Set beinhaltet: ↪ Schlaufe, ↪ Ladestation

Cree® XP-G2 LED / 235 lm / 4 x AA / 11 h 10 min

ANSI Compliant



116m

235 LUMENS

M-Fire Focus

PHH0213

Ex-ATEX Certified Hand-Held Flashlight

Hand-Batterietaschenlampe mit Ex-ATEX-Zertifikat

ATEX I M 1 Ex ia I Ma II 1 G Ex ia IIC T4 Ga DEMKO 15 ATEX 1476X

HIGH	235 lm	11 h 10 min
25%	62 lm	36 h
	184 x 52 x 52 mm	
	153 g	
	247 g	
	15 g	
	HIGH - SPOT 116 m / FLOOD 26 m	
	25% - SPOT 72 m / FLOOD 16 m	



IP67 Standard Focus Shock Resistant

Optional Accessories:
Optionales Zubehör:



Mount Gallet, Montagegriff Gallet
PHH0012M



Mount Kalisz, Montagegriff Kalisz
RHH0041

The set includes: batteries AA, clip, handstrap, allen key

Das Set beinhaltet: Batterien AA, Halterung, Handschlaufe, Innensechskantschlüssel

Cree™ XP-E LED / 133 lm / 4 x AA / 6 h / 13 340 cd

ANSI Compliant



231m

133 LUMENS

M-Fire 02 EX

PHH0211

Ex-ATEX Certified Battery Flashlight

LED Taschenlampe M-Fire 02, ATEX Ex-Schutz, 133 lm

ATEX No.: II 1G Ex ia IIC T4 DEMKO 13 ATEX 1302999X

HIGH	6 h	231 m
25%	69 h 10 min	110 m
	4 x Energizer E91 (AA)	
	175 x 52 x 42 mm	
	125 g	
	219 g	
	15 g	



IP67 Standard Shock Resistant

Optional Accessories:
Optionales Zubehör:



Mount Gallet, Montagegriff Gallet
PHH0012M



Mount Kalisz, Montagegriff Kalisz
RHH0041

Signal Cone, Signalkegel
T-MX142-NAKŁADKA-CZ

The set includes: batteries AA, clip

Das Set beinhaltet: Batterien AA, Halterung

Cree™ XP-G2 / 180 lm / 4 x AA / 8 h / 3 422 cd

ANSI Compliant



117 m

180 LUMENS

M-Fire 03 EX

PHH0212

Ex-ATEX Certified Battery Flashlight
with Magnetic Switch and Lockout Function

Diodentaschenlampe M-FIRE 03, ATEX Ex-Schutz, 180 lm

ATEX No.: II 1G Ex ia IIC T4 IP68 DEMKO 13 ATEX 1205039X Rev. 3

HIGH	8 h	117 m
MEDIUM	30 h	83 m
FLASHING	46 h	
	4 x Energizer E91 (AA)	
	172 x 47 x 47 mm	
	141 g	
	236 g	
	15 g	



IP68 Standard Shock Resistant

Optional Accessories:
Optionales Zubehör:



Mount Gallet, Montagegriff Gallet
PHH0012M



Mount Kalisz, Montagegriff Kalisz
RHH0041

Signal Cone, Signalkegel
T-MX142-NAKŁADKA-CZ

The set includes: batteries AA, clip

Das Set beinhaltet: Batterien AA, Halterung

ZONE 0 LINE

ZONE 0 LINE

ZONE 0 LINE

M-FIRE AG EX | PHH0221



323 lm



6 h 30 min



288 m



4 x AA



IP54



M-FIRE SL 112 EX | PSL0111



222 lm



4 h 15 min



432 m

2 x Li-ion 1960 mAh



IP64



M-FIRE SL 112 EX | PSL0111/TRUCK



222 lm



4 h 15 min



432 m

2 x Li-ion 1960 mAh



IP64



M-FIRE FOCUS | PHH0213



235 lm



11 h 10 min



116 m



4 x AA



IP67



M-FIRE 02 EX | PHH0211



133 lm



6 h



231 m



4 x AA



IP67



M-FIRE 03 EX | PHH0212



180 lm



8 h



117 m



4 x AA



IP68





CRI COLOR MATCH LINE



XP-L U2 90 CRI LED / 3000 K / 300 lm / Nichia™ 0,5W LED / 54 lm
1 x Li-poly 3,7V 800 mAh / 3 x 1,5V AAA batteries / 2 h 30 min

90 CRI

3000 KELVINS

300 LUMENS

sunscan
5.3

PHL0031

High CRI Headlamp
Hohe CRI Stirnlampe

● WARM WHITE		XP-L U2 (90 CRI) LED, 3000 K		
100%		300 lm	2 h 30 min	123 m
50%		152 lm	5 h 42 min	85 m
10%		33 lm	18 h 42 min	38 m
● COLD WHITE		Nichia™ 0,5 W LED, 54 lm		
100%		54 lm	9 h 36 min	15 m
FLASHING 2Hz		54 lm	20 h	15 m
		Li-poly 3,7V 800 mAh / 3 x 1,5V AAA		
		62 x 41 x 43 mm		
		92 g		
	[+]	112 g		
	⊖	2 h 30 min		



Optional Accesories:

Optionales Zubehör:

AHL0051M - dual side velcro tape for helmets
Doppelseitiger Klötverschluss für die Helmbefestigung
AHL0051B - additional battery, Zusatz-Akku



The set includes: batteries, USB cord
Das Set beinhaltet: Akku, USB Kabel



CRI COLOR MATCH LINE

95 CRI LED, 4000 K, 50 lm / 2 x 1.5 V AAA / 1 h 30 min

95 CRI

4000 KELVINS

50 LUMENS

sunscan
5.1

PHH0031

High CRI Penlight
Hohe CRI Stablampe

● WARM WHITE		LED (95 CRI) LED, 4000 K	
HIGH	ON	50 lm	1 h 30 min
		2 x 1,5V AAA	
		16,8 x 149 mm	
		34 g	
	[+]	57 g	



CRI COLOR MATCH LINE





96 CRI

2700-6500 KELVINS

500 LUMENS


sunscan
5.2

PWL0041

High CRI Work Light
Hohe CRI Arbeitslicht96 CRI COB LED, 6500 K, 500 lm
battery Li-ion 3,7V 2600 mAh / 2 h 30 min

WARM WHITE		COB LED [96 CRI], 6500 K	
HIGH	500 lm	2700K / 4500K / 6500K	2 h 30 min
ECO	250 lm	2700K / 4500K / 6500K	4 h
			3,7V 2600mAh Li-ion
			190 x 55 x 35 mm
			307 g
			4 h

IP65 Standard
 IK07 Standard
 MicroUSB Rechargeable

The set includes: battery, USB cord, 100-240 V charger
Das Set beinhaltet: Akku, USB Kabel, 100-240 V Ladegerät

96 CRI

2700-6500 KELVINS

2000 LUMENS


sunscan
5.4

PWL0051

High CRI Floodlight
Hohe CRI Flutlicht96 CRI COB LED, 6500 K, 2000 lm
battery Li-ion 11,1V 4400 mAh / 2 h

WARM WHITE		COB LED [96 CRI], 6500 K	
HIGH	2000 lm	2700K / 3500K / 4500K / 5500K / 6500K	2 h
MEDIUM	1000 lm	2700K / 3500K / 4500K / 5500K / 6500K	4 h
LOW	500 lm	2700K / 3500K / 4500K / 5500K / 6500K	8 h
			Li-ion 11,1V 4400 mAh built-in
			220 x 225 x 70 mm
			1131 g
			3 h 30 min

IP65 Standard
 IK07 Standard
 0,7m Shock Resistant
 5m Cord

Optional Accessories:
Optionales Zubehör:PWL0051 - magnetic mount, magnetisch Montagegriff
PWL0051T - 2 m tripod (for installation of one or two lamps),
2 m Stativ (Montage von einer oder zwei Lampen)The set includes: batteries, 230V charging cord
Das Set beinhaltet: Akku, 230V Ladekabel

SUNSCAN 5.1 | PHH0031



50 lm



4000 K



95



1 h 30 min



2 x 1,5V AAA



IP20



SUNSCAN 5.3 | PHL0031



300 lm



3000 K



90



18 h 42 min



Li-poly 3,7V 800 mAh



IP64



SUNSCAN 5.2 | PWL0041



500 lm



2700-6500 K



96



4 h



Li-ion 3,7V 2600 mAh



IP65



SUNSCAN 5.4 | PWL0051



2000 lm



2700-6500 K



96



8 h



Li-ion 11,1V 4400 mAh



IP65





INDUSTRIAL & WORKSHOP LINE



1 x High CRI COB White LED, 1 x Seoul Semi Y11 White LED
battery Li-polymer 3,7V 4800 mAh / 2 h 30 min

ANSI Compliant

800 LUMENS

36m

SLIM BEAM™

PWL0101

NEW

Rechargeable Workshop Lamp with a Hook and a Magnet
Eine Werkstattlampe mit Magnet und Befestigungshaken

TOP LIGHT	55 lm	24 cd	10 m	23 h 30 min
FRONT LIGHT HIGH	800 lm	332 cd	36 m	2 h 30 min
FRONT LIGHT MEDIUM	490 lm	188 cd	27 m	7 h 30 min
FRONT LIGHT LOW	255 lm	101 cd	20 m	12 h
▲		19 x 54 x 180 mm		
		234 g		
		6 h 30 min LED Indicator ON – more than MEDIUM LED Indicator FLASH – less than MEDIUM		

IP66 Standard
 Shock Resistant
 USB Rechargeable



The set includes: battery, USB cord
Das Set beinhaltet: Akku, USB Kabel

1 x White COB LED / 1 x Seoul Semi Y11 White LED
battery 18650 Li-ion 3,7V 3350 mAh / 2 h 30 min

ANSI Compliant

600 LUMENS

30m

FLEXI BEAM™

PWL0091

NEW

Workshop Lamp with a Magnet
Eine klappbare Werkstattlampe mit Magnet

FRONT LIGHT	60 lm	20 cd	9 m	14 h
SIDE LIGHT HIGH	600 lm	253 cd	30 m	2 h 30 min
SIDE LIGHT LOW	280 lm	113 cd	21 m	8 h
▲		38 x 45 x 327 mm		
		279 g		
		4 h 30 min (DC5V 1A Input)		

IP64 Standard
 Shock Resistant
 USB Rechargeable



The set includes: battery, USB cord
Das Set beinhaltet: Akku, USB Kabel

INDUSTRIAL & WORKSHOP LINE

TRUSTED BY PROS®

53

34 x 0.5W SMD LED, 6000-7000 K
battery 3,7V Li-ion 5200 mAh / 1 h 30 min

29m 1000 LUMENS

ROUND BEAM™

NEW

PWL0071

Rechargeable Workshop Lamp with Power Bank Function
Eine wiederaufladbare Werkstattlampe mit Powerbank-Funktion

DIMMER	60 lm - 1000 lm	24 h - 1 h 30 min
	74 x 74 x 258 mm	
	470 g	
	4 h 30 min	

IP54 Standard Shock Resistant USB Rechargeable ADS Tech Power Bank



The set includes: battery, USB cord
Das Set beinhaltet: Akku, USB Kabel



120 pcs x SMD LEDs, 5700K
battery 14,8V Li-ion 5200mAh / 2 h

80m 4500 LUMENS

DUAL BEAM™

NEW

PWL0081

Workshop Lamp/Floodlight
Eine Werkstattlampe/Leuchte mit verstellbarem Lichtwinkel

HIGH	4500 lm	2 h
MEDIUM	3000 lm	3 h 30 min
LOW	1500 lm	6 h
ECO	750 lm	12 h
	288 x 176 x 131 mm	
	2140 g	
	3 h 30 min	

IP54 Standard Shock Resistant



Optional Accessories:
Optionales Zubehör:
PWL0081M - magnetic mount, magnetisch Montagegriff



The set includes: battery, USB cord, charger
Das Set beinhaltet: Akku, USB Kabel, Ladegerät



INDUSTRIAL & WORKSHOP LINE

 10 LUMENS

Medlite

NEW

PHH0081

Medical Penlight

Diagnostikleuchte Pupillenleuchte

1pc LED Bulb | ON – 10 lm | OFF

	2 x AAA
	130 x 12,5 mm
	1,5 m



INDUSTRIAL & WORKSHOP LINE



ANSI Compliant  300m  920 LUMENS

DURA LIGHT 920

PHH0111

LED Flashlight

LED Taschenlampe

Cree™ XM-L2 White LED / 920 lm
battery Li-ion 3,7 V 2500 mAh / 3 h 30 min

BOOST	920 lm	n/d	300 m
HIGH	550 lm	3 h 30 min	225 m
MEDIUM	260 lm	8 h	155 m
LOW	90 lm	33 h	90 m
 	4 h 30 min		
	43 x 188 mm		
	168 g		
 	245 g		

 IP68 Standard
 Shock Resistant
 USB Rechargeable
 Eyelet



INDUSTRIAL & WORKSHOP LINE

The set includes:  battery,  USB cord,  handstrap
Das Set beinhaltet:  Akku,  USB Kabel,  Handschlaufe

Cree™ XPL LED / 800 lm / 4 × AA / 1 h / 16 000 cd



800 LUMENS

DURA LIGHT 2.1 //

PHH0121

LED Flashlight with Glass Breaker
LED Taschenlampe mit Glasbrecher

HIGH	1 h
MEDIUM	4 h
LOW	10 h
STROBE temporary	2 h
▲	ø 40 × 172 mm
■	97 g
■ [+/-]	190 g



IPX7 Standard 1,2m Shock Resistant Glass Breaker

The set includes: ↪ handstrap
Das Set beinhaltet: ↪ Handschlaufe

Cree™ XTE LED + White-Red COB / 400 lm / 3 × AA / 5 h / 10 000 cd



400 LUMENS

DURA LIGHT 2.2 //

PHH0122

LED Multi Functional Flashlight
LED multifunktionale Taschenlampe mit SOS Licht und Magnet

HIGH	5 h
20%	25 h
COB – White + Red COB	
HIGH	8 h
MEDIUM	20 h
Red FLASHING	40 h
▲	ø 40,5 × 172 mm
■	118 g
■ [+/-]	188 g



IPX7 Standard 1,2m Shock Resistant Magnetic Mount Eyelet

The set includes: ↪ handstrap
Das Set beinhaltet: ↪ Handschlaufe

Cree™ XPL LED / 700 lm
Li-ion 3,7 V 4400 mAh / 2 h 30 min / 16 000 cd



700 LUMENS

DURA LIGHT 2.3 //

PHH0123

LED Rechargeable Flashlight with Power Bank Function
LED Aufladbare Taschenlampe mit Power Bank

HIGH	2 h 30 min
MEDIUM	7 h
LOW	30 h
STROBO	5 h
▲	ø 46 × 164 mm
■ [+/-]	230 g



IPX7 Standard 1,2m Shock Resistant Glass Breaker Power Bank Function

The set includes: ■ battery, ■ USB cord, ↪ handstrap
Das Set beinhaltet: ■ Akku, ■ USB Kabel, ↪ Handschlaufe

INDUSTRIAL & WORKSHOP LINE

INDUSTRIAL & WORKSHOP LINE

3W COB LED / 110 lm /
built-in battery Li-ion 3,7 V 800 mAh / 2 h 30 min / 16 cd

15 m  110 LUMENS

HIGH	2 h 30 min
LOW	5 h 30 min
Red	6 h
Red FLASHING	12 h
Red SOS	18 h
	115 x 50 x 25 mm
 [+]	95 g
	4 h

 Standard  Shock Resistant  Rechargeable  Magnetic Mount

The set includes:  USB cord
Das Set beinhaltet:  USB Kabel



DURA TOOL

PWL0011

COB Workshop Lamp
COB Werkstatt Lampe



INDUSTRIAL & WORKSHOP LINE

TG2 3535 LED + COB Red LED + COB Green LED / 500 lm
803450 Li-poly 3,7 V 1500 mAh / 6 h

154 m  500 LUMENS

	Min	Max
WHITE	150 lm	500 lm
	6 h	2 h 30 min
RED	CONSTANT	FLASHING
	7 h 30 min	15 h
GREEN	CONSTANT	FLASHING
	7 h 30 min	15 h
	107,5 x 47 x 36,5 mm	
 [+]	111 g	
	2 h 42 min	

 Standard

The set includes:  hanging hook,  magnet in the housing,  MicroUSB cord
Das Set beinhaltet:  Halterung,  Magnet im Gehäuse,  MicroUSB Kabel



FLAGGER

PHH0071

LED Signal Light
LED Signallampe



INDUSTRIAL & WORKSHOP LINE

TG2 3535 LED + COB WHITE LED / 500 lm
803450 Li-poly 3,7 V 1500 mAh / 6 h

154 m  500 LUMENS

	White LED COB	White LED
200 lm	500 - 150 lm	
7 h	2 h 30 min - 6 h	
	107,5 x 47 x 36,5 mm	
 [+]	109 g	
	2 h 42 min	

 Standard  Rechargeable 

The set includes:  hanging hook,  magnet in the housing,  MicroUSB cord
Das Set beinhaltet:  Halterung,  Magnet im Gehäuse,  MicroUSB Kabel



FLAGGER 650

PHH1071

LED Signal Light
LED Signallampe



INDUSTRIAL & WORKSHOP LINE

SLIM BEAM | PWL0101

800 lm



23 h 30 min



36 m



3.7V Li-poly 4800 mAh



IP66

**FLEXI BEAM | PWL0091**

600 lm



14 h



30 m

18650 3.7V Li-ion
3350 mAh

IP64

**ROUND BEAM | PWL0071**

1000 lm



24 h



29 m



3.7V Li-ion 5200 mAh



IP54

**DUAL BEAM | PWL0081**

4500 lm



12 h



80 m



14.8V Li-ion 5200 mAh



IP54

**DURA LIGHT 920 | PHH0111**

920 lm



3 h 30 min



300 m



3.7V Li-poly 2500 mAh



IP68

**DURA LIGHT 2.1 | PHH0121**

800 lm



1 h



250 m



4 x AA



IPX7

**DURA LIGHT 2.2 | PHH0122**

400 lm



5 h



200 m



3 x AA



IPX7

**DURA LIGHT 2.3 | PHH0123**

700 lm



2 h 30 min



250 m



3.7V Li-ion 4400 mAh



IPX7

**DURA TOOL | PWL0011**

110 lm



2 h 30 min



15 m



3.7V Li-ion 800 mAh



IP53

**FLAGGER | PHH0071**

500 lm



6 h



154 m



3.7V Li-poly 1500 mAh

**FLAGGER 650 | PHH1071**

500 lm



6 h



154 m



3.7V Li-poly 1500 mAh



12 Bright side LED + 4 Bright top LED
12 LED 2 lm / 4 red LED 15 lm




S-FLARE

PSD011

Synchronized Signal Discs with Magnetic Mount
Signalscheiben S-Flare

1 x flash	13-15 h
2 x flash	6-7 h
1 x flash - slow	8-9 h
Slow flashing with blanking	6-7 h
1 x flash - fast	9-10 h
	6-7 h
	108 x 92 x 30 mm
	182 g, 3 kg (kpl)



The set includes: 230 V charger, 12 V charger, hard case charger

Das Set beinhaltet: 230 V Ladegerät, 12 V Ladegerät, Robuster Koffer Ladegerät

16 x LED / battery Li-ion 3,7V 750 mAh
65 lm / 5 h / 14 cd

		110 x 34 mm
		190 g
	100-240V AC HIGH	1-3 pcs
	12-24V DC HIGH	4-6 pcs

Modes	Type of lights	Runtime
1	Rotation	10 h
2	4 x flash, pause	20 h
3	1 x flash, pause	70 h
4	Alternating flashes	10 h
5	SOS	12 h
6	Continuous light HIGH	5 h
7	Continuous light 20%	30 h
8	2 LEDs, continuous light	10 h
9	4 LEDs, continuous light	5 h
10	OFF	



The set includes: 230 V charger, 12 V charger, hard case charger

Das Set beinhaltet: 230 V Ladegerät, 12 V Ladegerät, Robuster Koffer Ladegerät

LED / 2 x AAA

mm	305 x 550
	1664 g
	1682 g



Easily Collapsible
Reflective Stripes



T-NJ01-PODSTAWKA
Base for installing signal discs
Ständer zur Befestigung von
Signalscheiben



TRUSTED BY PROS®



M-FLARE

L-DS-PACK-AMBER-AKU-Z, PSD0012

Unsinkable & Indestructible
Signal Discs with Magnetic Mount
Signalscheiben M-Flare



L-DS-PACK-AMBER-AKU-Z



PSD0012



Amber PSD0012 Green PSD0013 Blue PSD0014 White PSD0015 Yellow PSD0016 Red PSD0017 IR PSD0018

TRAFFIC CONE

L-NJ01-ROHS

Collapsible Traffic Cone with LED Flashing Light
Warnkegel mit roter LED

INDUSTRIAL & WORKSHOP LINE



INDUSTRIAL & WORKSHOP LINE

RDL0112-2, RDL0111-1, RDL0012-2, RDL0011-1, RDL0010-P5, RDL0010-P2.5-2

Tent Lamp
Zeltlampe

INDUSTRIAL & WORKSHOP LINE

RDL0112-2	Tent Lamp Galaxy 3.1; set: tent lamp, hanging mount, choke, plug, ON/OFF switch Zeltlampe Galaxy 3.1; Setzusammensetzung - Lampe, Drossel, Stecker, Schlingen, ON/OFF-Taste
RDL0111-1	Tent Lamp Galaxy X3.1; set: tent lamp, choke, hanging mount, plug, 5m long power cord, Schuko pin, ON/OFF switch Zeltlampe Galaxy X3.1; Setzusammensetzung - Lampe, Drossel, Stecker, Schlingen, 5m Kabel, Schuko-Stecker, ON/OFF-Taste
RDL0012-2	Tent Lamp Galaxy 3.0; set: tent lamp, plug, choke, hanging mount Zeltlampe Galaxy 3.0; Setzusammensetzung - Lampe, Drossel, Stecker, Schlingen
RDL0011-1	Tent Lamp Galaxy X3.0; set: tent lamp, choke, hanging mount, plug, 5m long power cord, Schuko pin Zeltlampe Galaxy X3.0; Setzusammensetzung - Lampe, Drossel, Stecker, Schlingen, 5m Kabel, Schuko-Stecker
RDL0010-P5	5m power cord for connecting lamps in series Stromkabel für Galaxy-Zeltlampe - 5m
RDL0010-P2.5-2	2,5m power cord for connecting lamps in series with two choke Kabel für Galaxy 2,5 Zeltlampe + zwei Drosseln

230V AC / 50-60 Hz / 4500 lm

Power Leistung	30W
Luminous flux Lichtstrom	4500 lm
Power supply Stromversorgung	230V AC / 50-60 Hz
Optional operation in series Möglichkeit einer Reihenschaltung	10 lamps
Operating temperature Betriebstemperatur	- 35° C - +50° C
Durability Lebensdauer	80 000 h
Housing Gehäuse	alu & polycarbon

IP66
Standard

IK10
Standard


Convenient hanging mount with adjustable length
Komfortable Halterung mit verstellbarer Länge

Plug for the last lamp in a serial connection
Verblendung der letzten Lampe in einer Reihe

Durable housing
Robustes Gehäuse

Connection of up to 10 lamps in series
Reihenschaltung von bis zu 10 Lampen

Switch
Schalter

Specialised lighting for operation in tents, halls and other roofed structures generates a powerful stream of light rated at 4500 lumens. The lamp is designed to operate in difficult and challenging conditions. The aluminium and poly carbon housing is IP66 rated against ingress of dust and water and IK10 rated against physical damage. The lamp can operate in a wide range of temperatures, making it a perfect choice for use in any weather. The lamp is secured reliably and conveniently thanks to special snap hooks with adjustable cords, allowing to position the lamp at an optimal height. Multiple lamps can be connected in series and power from a single power supply unit. Every lamp features a switch button, making it possible to operate the entire series from any connected lamp. The remarkably durable lamp is rated at 80,000 hours of work. The lamps can operate in a range of temperatures from -35°C to +50°C and are covered with a 5-year warranty.

Die Spezialbeleuchtung für die Montage in Zelten, Hallen und anderen überdachten Räumen strahlt einen effizienten Lichtstrom von 4500 Lumen aus. Die Lampe ist für den Einsatz in rauen Umgebungen konzipiert. Das Gehäuse aus Aluminium und Polycarbonat entspricht der Staub- und Wasserschutzklasse IP66 und der Widerstandsfähigkeit gegen physikalische Beschädigungen IK10. Die Lampe bietet einen weiten Betriebstemperaturbereich, der den Einsatz bei allen Wetterbedingungen ermöglicht. Die Montage der Lampe ist sicher und bequem durch die Verwendung von speziellen Karabinern mit verstellbarer Schnurlänge, dank derer die Lampe in der optimalen Höhe betrieben werden kann. Einzelne Geräte können in einer Reihe geschaltet und mit einem Netzgerät versorgt werden. Jedes Gerät ist mit einer Taste (Schalter) ausgestattet - die gesamte Serie wird von der Ebene einer beliebigen Lampe, die ihr Element ist, gesteuert. Das Produkt hat eine außergewöhnliche Lebensdauer von 80 Tausend Stunden. Die Lampen arbeiten ungehindert in einem Temperaturbereich von -35°C bis +50°C. Für das Gerät gilt eine Garantie von 5 Jahren.

27 x Cree™ XPL LED s / 24 000 lm
battery 40 mAh / 3 h 20 min
24 000 lm — Boost

 24 000 LUMENS

MONSTER LIGHT EGO Single

PFL0234

NEW

High-Power Portable Lighting System with a Single, Three-Piece Head
Tragbares Hochleistungs-Beleuchtungssystem mit einem Dreifachkopf

BOOST	24 000 lm	2 h 12 min
HIGH	20 000 lm	3 h 20 min
MEDIUM	15 000 lm	5 h
MEDIUM LOW	10 000 lm	6 h 40 min
LOW	2 000 lm	33 h 20 min
MEDIUM FLASHING	10 000 lm	13 h 20 min
<input checked="" type="radio"/> Red LED STAND BY		1111 h 6 min
	650 x 540 x 300 mm	
 [+]	27,75 kg	
 [−]	7-8 h	



Diffusers included:
Diffusoren enthalten:

- diffuse | ausgestrahlt
- orange | orange
- red | rot



The set includes:  1 x head,  1 x telescopic mast,  3 x light diffuser,  230V charger,  hard case
Das Set beinhaltet:  1 x Leuchtkopf,  1 x Höhenverstellbare Mast,  3 x Streufilter,  230V Ladegerät,  Robuster Koffer

27 x Cree™ XPL LED s / 24 000 lm
battery 50 mAh / 4 h 10 min
24 000 lm — Boost

 24 000 LUMENS

MONSTER LIGHT EGO Single

PFL0235

NEW

High-Power Portable Lighting System with a Single, Three-Piece Head
Tragbares Hochleistungs-Beleuchtungssystem mit einem Dreifachkopf

BOOST	24 000 lm	2 h 47 min
HIGH	20 000 lm	4 h 10 min
MEDIUM	15 000 lm	6 h 15 min
MEDIUM LOW	10 000 lm	8 h 20 min
LOW	2 000 lm	41 h 40 min
MEDIUM FLASHING	10 000 lm	16 h 40 min
<input checked="" type="radio"/> Red LED STAND BY		1388 h 54 min
	650 x 540 x 300 mm	
 [+]	29,85 kg	
 [−]	7-8 h	



Diffusers included:
Diffusoren enthalten:

- diffuse | ausgestrahlt
- orange | orange
- red | rot



The set includes:  1 x head,  1 x telescopic mast,  3 x light diffuser,  230V charger,  hard case
Das Set beinhaltet:  1 x Leuchtkopf,  1 x Höhenverstellbare Mast,  3 x Streufilter,  230V Ladegerät,  Robuster Koffer

INDUSTRIAL & WORKSHOP LINE

2 x 27 x Cree™ XPL LED s / 48 000 lm
battery 40 mAh / 1 h 40 min
48 000 lm — Boost

 48 000 LUMENS

MONSTER LIGHT EGO Twin

PFL0236

NEW

High-Power Portable Lighting System with Dual, Three-Piece Heads
Tragbares Hochleistungs-Beleuchtungssystem mit zwei Dreifachköpfen

BOOST	48 000 lm	1 h 6 min
HIGH	40 000 lm	1 h 40 min
MEDIUM	30 000 lm	2 h 30 min
MEDIUM LOW	20 000 lm	3 h 20 min
LOW	4 000 lm	16 h 40 min
MEDIUM FLASHING	2 000 lm	6 h 40 min
<input checked="" type="radio"/> Red LED STAND BY		555 h 34 min
	650 x 540 x 300 mm	
	30,75 kg	
	7-8 h	



Diffusers included:
Diffusers enthalten:

- diffuse | ausgestrahlt
- orange | orange
- red | rot



The set includes: 1 x head, 1 x telescopic mast, 3 x light diffuser, 230V charger, hard case
Das Set beinhaltet: 1 x Leuchtkopf, 1 x Höhenverstellbare Mast, 3 x Streufilter, 230V Ladegerät, Robuster Koffer

2 x 27 x Cree™ XPL LED s / 48 000 lm
battery 50 mAh / 2 h 4 min
48 000 lm — Boost

 48 000 LUMENS

MONSTER LIGHT EGO Twin

PFL0237

NEW

High-Power Portable Lighting System with Dual, Three-Piece Heads
Tragbares Hochleistungs-Beleuchtungssystem mit zwei Dreifachköpfen

BOOST	48 000 lm	1 h 23 min
HIGH	40 000 lm	2 h 4 min
MEDIUM	30 000 lm	3 h 8 min
MEDIUM LOW	20 000 lm	4 h 10 min
LOW	4 000 lm	20 h 50 min
MEDIUM FLASHING	2 000 lm	8 h 20 min
<input checked="" type="radio"/> Red LED STAND BY		694 h 24 min
	650 x 540 x 300 mm	
	32,85 kg	
	7-8 h	



Diffusers included:
Diffusers enthalten:

- diffuse | ausgestrahlt
- orange | orange
- red | rot



The set includes: 1 x head, 1 x telescopic mast, 3 x light diffuser, 230V charger, hard case
Das Set beinhaltet: 1 x Leuchtkopf, 1 x Höhenverstellbare Mast, 3 x Streufilter, 230V Ladegerät, Robuster Koffer

INDUSTRIAL & WORKSHOP LINE

18 x Cree™ XP-L LED / 14 400 - 18 000 lm
battery Lead-Acid 12V 40 Ah / 3 h 30 min
18 000 lm - Boost

150 m

 14 400 - 18 000 LUMENS

MONSTER LIGHT Single

PFL0122-USB

Single Head Portable Floodlight with Strong Output
Tragbares Hochleistungsflutlicht mit einem Leuchtkopf

BOOST	18 000 lm	2 h 48 min
HIGH	14 400 lm	3 h 30 min
MEDIUM	10 800 lm	4 h 45 min
MEDIUM LOW	7 200 lm	7 h 30 min
LOW	1 440 lm	36 h 30 min
MEDIUM FLASHING	7 200 lm	13 h 30 min
<input checked="" type="radio"/> Red LED STAND BY	n\`d	700 h
	620 x 420 x 260 mm	
 [+]	28,7 kg	
 [C]	100-240V AC HIGH	8 h



Diffusers included:
Diffusoren enthalten:

- white | weiß
- orange | orange
- red | rot

Optional Accessories:
Optionales Zubehör:

PFL0011EP - 3 m mast, 3-Meter Mast
Model compatible with 230V AC adapter
for powering heads directly
Modell kompatibel mit 230V AC-Adapter
zur direkten Stromversorgung der Köpfe



The set includes:  battery,  2 x USB,  1 x head,  1 x telescopic mast,  3 x light diffuser,  230V charger,  hard case

Das Set beinhaltet:  Akku,  2 x USB,  1 x Leuchtkopf,  1 x Höhenverstellbare Mast,  3 x Streufilter,  230V Ladegerät,  Robuster Koffer

18 x Cree™ XP-L LED / 14 400 - 18 000 lm
battery Lead-Acid 12V 50 Ah / 4 h 45 min
18 000 lm - Boost

150 m


 14 400 - 18 000 LUMENS

MONSTER LIGHT Single

PFL0123-USB

Single Head Portable Floodlight with Strong Output
Tragbares Hochleistungsflutlicht mit einem Leuchtkopf

BOOST	18 000 lm	3 h 30 min
HIGH	14 400 lm	4 h 45 min
MEDIUM	10 800 lm	5 h 15 min
MEDIUM LOW	7 200 lm	8 h 30 min
LOW	1 440 lm	46 h 30 min
MEDIUM FLASHING	7 200 lm	15 h 30 min
<input checked="" type="radio"/> Red LED STAND BY	n\`d	900 h
	620 x 420 x 260 mm	
 [+]	30,8 kg	
 [C]	100-240V AC HIGH	10 h



Diffusers included:
Diffusoren enthalten:

- white | weiß
- orange | orange
- red | rot

Optional Accessories:
Optionales Zubehör:

PFL0011EP - 3 m mast, 3-Meter Mast
Model compatible with 230V AC adapter
for powering heads directly
Modell kompatibel mit 230V AC-Adapter
zur direkten Stromversorgung der Köpfe



The set includes:  battery,  2 x USB,  1 x head,  1 x telescopic mast,  3 x light diffuser,  230V charger,  hard case

Das Set beinhaltet:  Akku,  2 x USB,  1 x Leuchtkopf,  1 x Höhenverstellbare Mast,  3 x Streufilter,  230V Ladegerät,  Robuster Koffer

2 x [18 x Cree™ XP-L LED] / 28 800 - 36 000 lm
battery Lead-Acid 12V 40 Ah / 1 h 45 min
2 x 18 000 lm - Boost

150 m  28 800 - 36 000

MONSTER LIGHT Twin

PFL0132-USB

Portable Floodlight with Dual Heads for Double The Output
Mobiles Flutlicht mit zwei Leuchtköpfen für doppelte Leuchtstärke

BOOST	2 x 18 000 lm	1 h 24 min
HIGH	2 x 14 400 lm	1 h 45 min
MEDIUM	2 x 10 800 lm	2 h 25 min
MEDIUM LOW	2 x 7 200 lm	3 h 45 min
LOW	2 x 1440 lm	18 h 15 min
MEDIUM FLASHING	2 x 7200 lm	6 h 45 min
2 x Red LED STAND BY	n\`d	350 h
	620 x 420 x 260 mm	
	32 kg	
	100-240V AC HIGH	8 h



Diffusers included:
Diffusers enthalten:

- 2 x white | weiß
- 2 x orange | orange
- 2 x red | rot

Optional Accessories:
Optionales Zubehör:

PFL0011EP - 3 m mast, 3-Meter Mast
Model compatible with 230V AC adapter
for powering heads directly
Modell kompatibel mit 230V AC-Adapter
zur direkten Stromversorgung der Köpfe



The set includes: battery, 2 x USB, 1 x head, 1 x telescopic mast, 3 x light diffuser, 230V charger, hard case

Das Set beinhaltet: Akku, 2 x USB, 1 x Leuchtkopf, 1 x Höhenverstellbare Mast, 3 x Streufilter, 230V Ladegerät, Robuster Koffer

2 x [18 x Cree™ XP-L LED] / 28 800 - 36 000 lm
battery Lead-Acid 12V 50 Ah / 2 h 25 min
2 x 18 000 lm - Boost

150 m  28 800 - 36 000

MONSTER LIGHT Twin

PFL0133-USB

Portable Floodlight with Dual Heads for Double The Output
Mobiles Flutlicht mit zwei Leuchtköpfen für doppelte Leuchtstärke

BOOST	2 x 18 000 lm	1 h 45 min
HIGH	2 x 14 400 lm	2 h 25 min
MEDIUM	2 x 10 800 lm	2 h 35 min
MEDIUM LOW	2 x 7 200 lm	4 h 15 min
LOW	2 x 1440 lm	23 h 15 min
MEDIUM FLASHING	2 x 7200 lm	7 h 45 min
2 x Red LED STAND BY	n\`d	450 h
	620 x 420 x 260 mm	
	34,1 kg	
	100-240V AC HIGH	8 h



Diffusers included:
Diffusers enthalten:

- 2 x white | weiß
- 2 x orange | orange
- 2 x red | rot

Optional Accessories:
Optionales Zubehör:

PFL0011EP - 3 m mast, 3-Meter Mast
Model compatible with 230V AC adapter
for powering heads directly
Modell kompatibel mit 230V AC-Adapter
zur direkten Stromversorgung der Köpfe



The set includes: battery, 2 x USB, 1 x head, 1 x telescopic mast, 3 x light diffuser, 230V charger, hard case

Das Set beinhaltet: Akku, 2 x USB, 1 x Leuchtkopf, 1 x Höhenverstellbare Mast, 3 x Streufilter, 230V Ladegerät, Robuster Koffer

18 x Cree™ XP-L LED / 14 400 - 18 000 lm
battery Li-ion 14,8V 41,6 Ah / 3 h 45 min
18 000 lm - Boost


150 m 14 400 - 18 000 LUMENS

MONSTER LIGHT Midi

PFL0143

Single Head Portable Floodlight with Strong Output
Tragbares Hochleistungsflutlicht mit einem Leuchtkopf

BOOST	18 000 lm	2 h 45 min
HIGH	14 400 lm	3 h 45 min
MEDIUM	10 800 lm	4 h 45 min
MEDIUM LOW	7 200 lm	7 h 30 min
LOW	1 440 lm	36 h 30 min
MEDIUM FLASHING	7 200 lm	13 h 30 min
Red LED STAND BY	n\d	750 h
	520 x 410 x 210 mm	
	14,8 kg	
	100-240V AC HIGH	9 h 30 min



Diffusers included:
Diffusers enthalten:

- white | weiß
- orange | orange
- red | rot

Optional Accessories:

Optionales Zubehör:
PFL0011EP - 3 m mast, 3-Meter Mast
Model compatible with 230V AC adapter
for powering heads directly
Modell kompatibel mit 230V AC-Adapter
zur direkten Stromversorgung der Köpfe



The set includes: 1 x head, 1 x telescopic mast, 3 x light diffuser, 230V charger, hard case
Das Set beinhaltet: 1 x Leuchtkopf, 1 x Höhenverstellbare Mast, 3 x Streufilter, 230V Ladegerät, Robuster Koffer

18 x Cree™ XP-L LED / 14 400 - 18 000 lm
battery Li-ion 14,8V 54,4 Ah / 5 h
18 000 lm - Boost

150 m 14 400 - 18 000 LUMENS

MONSTER LIGHT Midi

PFL0144-USB

Single Head Portable Floodlight with Strong Output
Tragbares Hochleistungsflutlicht mit einem Leuchtkopf

BOOST	18 000 lm	4 h
HIGH	14 400 lm	5 h
MEDIUM	10 800 lm	6 h 15 min
MEDIUM LOW	7 200 lm	9 h 15 min
LOW	1 440 lm	49 h
MEDIUM FLASHING	7 200 lm	17 h 30 min
Red LED STAND BY	n\d	970 h
	520 x 410 x 210 mm	
	14,8 kg	
	100-240V AC HIGH	12 h



Diffusers included:
Diffusers enthalten:

- white | weiß
- orange | orange
- red | rot

Optional Accessories:

Optionales Zubehör:
PFL0011EP - 3 m mast, 3-Meter Mast
Model compatible with 230V AC adapter
for powering heads directly
Modell kompatibel mit 230V AC-Adapter
zur direkten Stromversorgung der Köpfe



The set includes: battery, 2 x USB, 1 x head, 1 x telescopic mast, 3 x light diffuser, 230V charger, hard case

Das Set beinhaltet: Akku, 2 x USB, 1 x Leuchtkopf, 1 x Höhenverstellbare Mast, 3 x Streufilter, 230V Ladegerät, Robuster Koffer

18 x IR 940 nm LED
Li-ion 14,8V, 54,4 Ah / 7 h 30 min

940 nm

MONSTER LIGHT Midi-IR

PFL0144IR

Single Head Portable IR Area Floodlight

Tragbares Hochleistungsflutlicht mit einem IR Leuchtkopf

HIGH	7 h 30 min
MEDIUM	15 h 30 min
20%	36 h 30 min
	520 x 410 x 210 mm
	14,8 kg
100-240V AC HIGH	12 h



Optional Accesories:

Optionales Zubehör:
PFL0011EP - 3 m mast, 3-Meter Mast



The set includes: 1 x head, 1 x telescopic mast, 230V charger, hard case

Das Set beinhaltet: 1 x Leuchtkopf, 1 x Höhenverstellbare Mast, 230V Ladegerät, Robuster Koffer

INDUSTRIAL & WORKSHOP LINE

18 x UV 365 nm LED
battery Li-ion 14,8V, 54,4 Ah / 8 h 30 min

365 nm

MONSTER LIGHT Midi-UV

PFL0144UV

Single Head Portable UV Area Floodlight

Tragbares Hochleistungsflutlicht mit einem UV Leuchtkopf

HIGH	8 h 30 min
MEDIUM	17 h 30 min
LOW	42 h
	520 x 410 x 210 mm
	14,8 kg
100-240V AC HIGH	12 h



Optional Accesories:

Optionales Zubehör:
PFL0011EP - 3 m mast, 3-Meter Mast



The set includes: 1 x head, 1 x telescopic mast, 230V charger, hard case

Das Set beinhaltet: 1 x Leuchtkopf, 1 x Höhenverstellbare Mast, 230V Ladegerät, Robuster Koffer

INDUSTRIAL & WORKSHOP LINE

18 x Cree™ XP-L LED
battery Lead Acid 12V, 24 Ah / 2 h 22 min

 14 400 - 18 000 LUMENS

MONSTER LIGHT Mini

PFL0151

Compact Portable Area Floodlight
Tragbares Kompakthochleistungsflutlicht

BOOST	18 000 lm	1 h 45 min
HIGH	14 400 lm	2 h 22 min
MEDIUM	10 080 lm	2 h 37 min
MEDIUM LOW	7 200 lm	4 h 15 min
LOW	1 440 lm	23 h 15 min
MEDIUM FLASHING	7 200 lm	7 h 45 min
Red LED STAND BY	n/d	450 h
	274 x 243 x 226 mm	
	15,3 kg	
	100-240V AC HIGH	8 h



Optional Accesories:

Optionales Zubehör:
PFL0011EP - 3 m mast, 3-Meter Mast
PFL0151EP - mast, Mast



The set includes: 1 x head, 1 x telescopic mast, 3 x light diffuser, 1 x 230V charger, 1 x hard case, 1 x mast and head bag
Das Set beinhaltet: 1 x Leuchtkopf, 1 x Höhenverstellbare Mast, 3 x Streufilter, 1 x 230V Ladegerät, 1 x Robuster Koffer, 1 x Mast und Kopftasche

Adapter 230V AC

PFLZAS230

Adapter 230V AC for Charging of Portable Heads
Adapter 230V AC für Energieversorgung von Leuchtköpfen

Input	100-240V AC/4.0A/50/60Hz
Output	12V DC/16.0A/192W/IP65



230V adapter allows supplying power to the heads without using the battery case. It is recommended to use the adapter for long-term operation in one place and for heads mounted on masts.

Mit dem 230V-Adapter können Sie die Köpfe ohne Gehäusebatterie betreiben. Die Verwendung des Adapters wird empfohlen für langfristige Arbeiten an einem Ort und für auf Masten montierte Köpfe.

18 x Cree™ XP-L LED / 14 400 - 18 000 lm



14 400 - 18 000 LUMENS

We offer a complete set PFL0110-1EP-230 including:

- 3-meter tripod
- White LED head
- Adapter 230V AC for heads
- 3 Colour filters

Wir bieten einen kompletten Satz PFL0110-1EP-230 einschließlich:

- 3-Meter-Stativ
- Weißer LED-Kopf
- Adapter 230V AC für Köpfe
- 3 Farbfilter

BOOST	18 000 lm
HIGH	14 400 lm
75%	10 800 lm
MEDIUM	7 200 lm
LOW	1 440 lm
MEDIUM FLASHING	7 200 lm
<input checked="" type="radio"/> Red LED STAND BY	
Input	100-240V AC/4.0A/50/60Hz
Output	12V DC/16.0A/192W/IP65

IP65
Standard

Durable

Diffusers included:
Diffusoren enthalten:



- white | weiß
- orange | orange
- red | rot



High Power Lighting System with a Single Head,
Powered by 230V AC
Hochleistungs-Beleuchtungssystem mit einem Kopf,
der mit 230V AC betrieben wird

PFL0110-1EP-230

Direct connection to 230V socket
or power generator
3-meter tripod

Direkter Anschluss
an 230V-Steckdose
3-Meter-Stativ

INDUSTRIAL & WORKSHOP LINE

Back Pack System

RBS0011

Back Pack System Suitable with Floodlights MIDI
Geeignet für MIDI-Flutlichter



Compatible with | Kompatibel mit:
MONSTER LIGHT Midi

PFL0141, PFL0142, PFL0143, PFL0144

INDUSTRIAL & WORKSHOP LINE

3m EXTENSION POLE

PFL0011EP

Floodlight 3meter Accessory Extension Pole

3-Meter-Mast für Flutlichter



The set includes: 1 x tripod, 1 x telescopic beam, 1 x 2 m cord
Das Set beinhaltet: 1 x Stativ, 1 x Teleskopstrahl, 1 x 2 m Leitungskabel

Compatible with | Kompatibel mit:
PFL0122, PFL0123, PFL0141, PFL0143,
PFL0144, PFL0144IR, PFL0144UV

INDUSTRIAL & WORKSHOP LINE

3m EXTENSION POLE

PFL0012EP

Floodlight 3meter Accessory Extension Pole

3-Meter-Mast für Flutlichter



Compatible with | Kompatibel mit:
PFL0132, PFL0133

INDUSTRIAL & WORKSHOP LINE

The set includes: 1 x tripod, 1 x telescopic beam, 1 x overlay, 2 x 2m cord
Das Set beinhaltet: 1 x Stativ, 1 x Teleskopstrahl, 1 x Overlay, 2 x 2m Leitungskabel

1 x CREE LED, 1 x Power Indicator LED
5400 mAh Lithium battery / 72000 cd / 1500 lm / 1 h

HIGH	1500 lm	1 h
MEDIUM	800 lm	3 h
LOW	400 lm	5 h
FLASHING	n/a	10 h
▲	146 x 101 x 196 mm	
■ [+/-]	752 g	
■ [C]	3 – 5 h	



The set includes: USB cord
Das Set beinhaltet: USB Kabel



ANSI Compliant
530 m
 1500 LUMENS

X-Pistol GEN2

PSL0022

Rechargeable Searchlight with Focus Function
Aufladbarer Suchscheinwerfer mit Fokusfunktion

INDUSTRIAL & WORKSHOP LINE

Cree™ XHP 50 20WLED / 1600 lm
built-in battery Li-ion 7,4V 6600 mAh / 3 h 30 min

HIGH	3 h 30 min
Rear Orange LED FLASHING	240 h
▲	226 x 165 x 179 mm
■ [+/-]	1077 g
■ [S]	23 g
■ [C]	230V AC HIGH
■ [C]	12V DC HIGH
	20 h



The set includes: 230V AC charger, 12V DC charger, shoulder strap
Das Set beinhaltet: 230V AC Ladegerät, 12V DC Ladegerät, Armgurtel



ANSI Compliant
800 m
 1600 LUMENS

Vanguard JML

PSL0031

Rechargeable Searchlight with Rear Signallight
Ein wiederaufladbarer Handscheinwerfer

INDUSTRIAL & WORKSHOP LINE



Tylny
Pomarańczowy LED

CODE	ACCESSORIES	DESCRIPTION	PRODUCT			CODE	ACCESSORIES	DESCRIPTION	PRODUCT
ABF0165B		Battery Li-ion 18500, 1600 mAH			Scream 3.2 ABF0165	PHH0021H1		Wall Mount (1 Flashlight)	
ABF0161M		Mount	 Scream 3.1 ABF0164	 Scream 3.2 ABF0165	 Scream 3.3 ABF0161	PHH0021H2		Wall Mount (2 Flashlights)	
AHL0051M		Dual side velcro tape for helmets	 Maverick AHL0051	 Maverick White Peak AHL0052	 Sunscan 5.3 PHL0031	PHH0021H3		Wall Mount (3 flashlights)	
AHL0051B		Battery	 Maverick AHL0051	 Maverick White Peak AHL0052	 Sunscan 5.3 PHL0031	PWL0051M		Magnetic Mount	
AHL0061C		Clip	 Rebel AHL0061 AHL0062			PWL0051T		2-Meter Tripod	
PHL0011BC		Pack for 3 AA batteries	 Ultimo PHL0011			PFL0011EP		3-Meter Tripod	<p>Monster Light PFL0122 PFL0123 PFL0142 PFL0143 PFL0144-USB PFL0144UV PFL0144IR PFL0151</p>
RHH0031		Magnetic Mount	 Sniper 3.3 THH0063	 Sniper 3.2 THH0062		PFL0012EP		3-Meter Tripod	
T-KABURA MX1		Holster	 Black Eye1100 THH0043			PFL00151EP		Mast	
T-KABURA MX3/1		Holster	 Night Hunter 03 THH0231/232						
T-MX532 -CONE-R		Flashlight Signal Cone	 Black Eye1100 THH0043	 Sniper 3.2 THH0062					
THH0043 -CONE-R		Flashlight Signal Cone	 Black Eye1100 THH0043						
PHH0012M		Mount for Gallet Helmet	 M-Fire Focus PHH0213	 M-Fire 02 EX PHH0211	 M-Fire 03 EX PHH0212				
RHH0041		Mount for Kalisz Helmet	 M-Fire Focus PHH0213	 M-Fire 02 EX PHH0211	 M-Fire 03 EX PHH0212				

CODE	DESCRIPTION	PRODUCT				
TRAFFIC/SIGNAL CONES						
THH0052-C	Traffic Cone – Red	THH0055	THH0054			
THH0052-CY	Traffic Cone – yellow	THH0055	THH0054			
T-MX142-NAKŁADKA-CZ	Signal Cone – Red	L-MX142L-RC	PHH0211	PHH0212	THH0046	
T-MX532L-CONE-R	Signal Cone – Red	L-MX532L-RC	THH0045			
THH0043-CONE-R	Signal Cone – Red	THH0043				
THH0062-CONE-R	Signal Cone – Red	THH0062				
THH0063-CONE-R	Signal Cone – Red	THH0063				
THH0111-12-CONE-R	Signal Cone – Red	THH0111	THH0112			
RECHARGEABLE BATTERIES						
RAC0024	Rechargeable Lithium-ion Battery RCR123A	THH0112	THM0010	THM0020		
RAC0026	Rechargeable Lithium-ion Battery 18650 3,7V 3350 mAh	ABF0164	THH0232	THH0043		
ABF0164B	Rechargeable Lithium-ion Battery 18650 3400 mAh	ABF0164				
B-M18650/3200	Rechargeable Lithium-ion Battery 18650 3,7V 3200 mAh	L-MX142L-RC	L-MX532L-RC	THH0046	THH0045	ABF0042
B-THS0011	Rechargeable Lithium-ion Battery	THS0011				
B-THS0021	Rechargeable Lithium-ion Battery	THS0021				
B-THS0031	Rechargeable Lithium-ion Battery	THS0031				
BICYCLE MOUNTS						
ABF0161MS	Silicone Mount Strap	ABF0164	ABF0165	ABF0161		
OTHER						
THH0111-HOLSTER	Engineered Plastic Holster for THH0111	THH0111				
RHH0012	Side Mount	THH0111				
THH0111-RS	Remote Switch	THH0111				
THH0112-RS	Remote Switch	THH0112				
T-KABURA	Universal Size Holster	THH0054	THH0055			
RFF0017	Filter – Red	THH0063	MX512L			
T-MX152L-LENS	Lens for Black Eye Mini	MX512L				
T-HLS-STRAPS	Straps for Nomad	THL0022				
RHM0011	NVG Helmet Mount Adapter	THL0022				
T-THL0131	Magnetic Charger	THL0131				
RHH0031	Flashlight Magnetic Mount (24-27mm)	L-MX142L-RC	L-MX532L-RC	THH0046	THH0045	
THS-LAD12/24	Car Charger 12/24V	THS0011	THS0021	THS0031		
PHH0021C	Plastic Clip	PHH0221				



Mactronic Spółka z o.o. Sp. k.

ul. Stargardzka 4
54-156 Wrocław
Poland

www.mactronic.pl